
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1881

62.61



PRICE LIST TO THE TRADE

-Spring 1944 -

Our Own Introductions

FUCHSIA, "Scarlet Beauty"

FUCHSIA, "Senorita"

TRUEHEDGE COLUMNBERRY

Plant Patent No. 110

-Quality-

Everything that's Good and Hardy

— Service -

THE COLE NURSERY CO.

PAINESVILLE, OHIO

Phone 4394

Lining Out Stock - Pages 58-60



Hedges made from Columnberry growing in the nursery row. The first and only trimming, consuming one hour's time, made these finished hedges.

COLE'S New Truehedge Columnberry

BERBERIS THUNBERGI ERECTA (Plant Patent No. 110)

Wholesale Prices

	5	Each	25 Each	250 Each
9 to 12 inch	\$	0.18	\$ 0.14	\$ 0.121/2
12 to 15 inch		.22	.18	.16
15 to 18 inch		.27	.22	.20
1½ to 2 feet		.33	.28	.25
2 to 21/2 feet		.40	.35	.30
$2\frac{1}{2}$ to 3 feet		.55	.45	.40

SUGGESTED MINIMUM RETAIL PRICES

1	Each	5 Each	25 Each	100 Each	250 Each
9 to 12 inch\$	0.40	\$ 0.30	\$ 0.25	\$ 0.22	\$ 0.20
12 to 15 inch	.45	.35	.30		.25
15 to 18 inch	.55	.42	.35	.32	.30
1½ to 2 feet	.65	.53	.46	.42	.38
2 to 2½ feet	.80	.65	.55	.50	.45
2½ to 3 feet	1.00	.80	.68	.62	.55

Complete Descriptive Folder on Request

Ornamental Trees

The size immediately following the description indicates approximate height at maturity.

LARGE B & B SHADE TREES

We are specialists in balling and handling large shade trees up to 8" caliper. Our stock and workmanship is second to none. We would be pleased to quote prices for your special requirements on request or you may refer to pages 61 and 62 for charges.

ACER-	-campestre. Hedge Maple—25'	1 Each	5 Each	25 Each
	6 to 8'	\$ 3.15	\$ 2.80	
	8 to 10'	4.00	3.60	
das	ycarpum (saccharinum). Silver Maple—60'			
	8 to 10'	1.30	1.10	0.90
	1½ to 1½"	1.70	1.45	1.20
	1½ to 1¾"	2.00	1.75	1.50
	1¾ to 2"	2.50	2.25	2.00
	2 to 2½"	3.75	3.30	
	2½ to 3"		4.65	4.25
	2 +0 21/4"	7.25	6.60	6.00
	3 to 3½"	9.25	8.50	0.00
	3½ to 4"		12.00	
	4 to 5"	13.00	12.00	
das	ycarpum wieri. Wier Cutleaf Maple—50'			
	1½ to 1½"		1.85	
	1½ to 1¾"	2.50	2.25	2.00
	1¾ to 2"	3.50	3.10	2.75
	2 to 2½"	4.50	4.10	3.75
	mala Amun Manla 15'			
gin	nala. Amur Maple—15'	1.10	.90	
	4 to 5'		1.10	
	5 to 6'		1.50	1.25
	6 to 8'		2.25	2.00
	8 to 10'	2.50	2,20	2.00
pal	matum. Japanese Maple—14'		10.00	
	4 to 5' (16" Ball)		3.25	
	5 to 6' (18" Ball)	4.60	4.25	
	6 to 7' (21" Ball)	6.50	6.00	
nal	matum atropurpureum. Bloodleaf Japanese A	Manle_10	,	
par	4 to 5', Grafted (16" Ball)	6.00		
	5 to 6', Grafted (18" Ball)			
	6 to 7', Grafted (21" Ball)			
	o to 7, Granted (21 Ban)			
pal	matum dissectum atropurpureum.			
	Purple Threadleaf Japanese Maple-5'	0		
	2 to 2½' spread (13" Ball)	5.50		
	2½ to 3' spread (14" Ball)	7.75		
	3 to 3½' spread (16" Ball)	11.50		
	The second secon			

ACER—Continued			
platanoides. Norway Maple—50'	1 Each	5 Each	25 Each
6 to 8'		\$ 1.75	\$ 1.50
8 to 10'		2.15	1.90
1¼ to 1½"	2.75	2.50	2.25
1½ to 1¾"	3.15	2.90	2.65
1¾ to 2"	4.00	3.50	3.15
2 to 2½"		4.40	4.00
2½ to 3"		6.00	5.50
3 to 3½"		7.70	7.00
3½ to 4"	11.00	10.00	9.00
4 to 5"	14.50	13.25	12.00
5 to 6"	20.00	18.50	17.00
6 to 7"	27.00	25.00	23.00
7 to 8"	37.50	35.00	200 DOC BAR DOL DAY POR
platanoides columnare. Columnar Norway Maple			
A new columnar form of this old favorite.	275	250	2.25
5 to 6'		2.50	2.25
6 to 8'		3.10	2./5
8 to 10'	4.10	3.75	
platanoides globosum. Globe Norway Maple—8'			
6-year head, 6' stems	9.00	8.00	
o jour noud, o steins	2.00	0.00	
platanoides, schwedleri. Purple Norway Maple-5			
6 to 8'	2.75	2.50	
3 to 4"	12.50		
4 to 5"	18.00		
5 to 6"	25.00		
6 to 7"	40.00		
1			
platanoides variegatum. Variegated			
Leaved Norway Maple—25'	250	0.05	
4 to 6', Light Br	2.50	2.25	
8 to 10'	9.00		
rubrum. Red or Scarlet Maple—50'			
6 to 8'	2.00	1.75	1.50
8 to 10'	2.50	2.10	1.85
1½ to 1½"	2.90	2.50	2.25
$1\frac{1}{2}$ to $1\frac{3}{4}''$	3.60	3.25	2.90
$1\frac{3}{4}$ to $2\frac{n}{2}$	5.00	4.50	3.50
2 to 2½"	6.75	6.00	
3 to 3½"	12.50	11.00	
saccharum. Sugar or Rock Maple-60'			
6 to 8'	2.00	1.75	1.50
8 to 10'		2.15	1.90
1¼ to 1½"	2.75	2.50	2.25
1½ to 1¾"	3.10	2.85	2.60
1¾ to 2"		3.50	3.15
2 to 2½"		4.40	4.00
2½ to 3"	6.50	6.00	5.50
3 to 3½"		7.70	7.00
3½ to 4"	11.00	10.00	9.00
4 to 5"	14.50	13.25	12.00
5 to 6"		18.00	12.00
6 to 7"		25.00	
****	21.00	20.00	

ACER—Continued			
tataricum. Tatarian Maple—12'	1 Each	5 Each	25 Each
6 to 8'	\$ 2.00	\$ 1.75	\$ 1.50
8 to 10'	3.50	3.10	2.75
10 to 12'	4.50	4.10	3.75
AESCULUS			
glabra. Ohio Buckeye-30'			
6 to 8'	2.25	2.00	
1½ to 1½"	3.10	2.80	
1½ to 1½"	4.65	4.15	
2 to 2½"	6.00	5.50	
2½ to 3"	8.00	7.25	
3 to 3½"	12.00	11.00	
hippocastanum. European Horse-Chestnut-40'			
6 to 8'	2.25	2.00	
1½ to 2"	4.25	3.75	
2 to 2½"	5.00	4.50	
2½ to 3"	7.50	6.75	
3 to 4"	12.00	11.00	
4 to 5"			
octandra. Yellow Buckeye-30'			
8 to 10'	3.75	3.25	
1½ to 2"		4.00	
	7.00	7.00	
pavia. Red Buckeye-30'			
3 to 4'	4.50	4.00	3.60
ALNUS—			
incana. Speckled Alder—50'			
5 to 6'	1.50	1.25	1.00
6 to 8'	2.00	1.75	1.50
8 to 10'		2.50	2.25
AMYGDALUS—(See Prunus)			
ARALIA—spinosa. Devil's Walking Stick—25'	00	65	50
4 to 5'		.65	.50
5 to 6'		1.20	1.00
6 to 8'		1.75	1.50
8 to 10'	2.00	1.75	1.50
(Clumps, 50% additional)			
BETULA—alba. European White Birch—40'			
6 to 8' (16" Ball Extra)	1.55	1.30	1.10
8 to 10' (18" Ball Extra)	2.00	1.75	1.50
1½ to 1½" (20" Ball Extra)	2.40	2.15	1.90
1½ to 2" (24" Ball Extra)	3.00	2.75	2.50
2 to 2½" (28" Ball Extra)	4.50	4.10	3.75
2½ to 3" (32" Ball Extra)	6.60	6.00	5.50
3 to 3½" (38" Ball Extra)	10.00	9.00	8.00
alba fastigiata. Pyramidal White Birch-45'			
5 to 6'	2.50	2.25	2.00
6 to 8'	3.60	3.30	3.00
		12 32 11	
alba pendula. European Weeping Birch-35'	2.25	2.00	1.75
6 to 8'	4.40	2,00	+1110

BETULA—Continued	1 Each	5 Each	25 Each
lenta. Sweet Birch—45' 6 to 8' (16" Ball Extra)	\$ 1.75	\$ 1.50	
8 to 10' (18" Ball Extra)	2.25	2.00	\$ 1.75
1½ to 2" (24" Ball Extra)	_ 3.15	2.80	2.50
2 to 2½" (28" Ball Extra)	_ 4.10	3.75	3.50
2½ to 3" (32" Ball Extra)	_ 6.75	6.00	
3 to 3½" (38" Ball Extra)	19.00	8.00 11.00	
3½ to 4" (42" Ball Extra)	_ 14.40	11.00	
Clumps, 3 to 6 stems	5.50	5.00	
8 to 10' (24" Ball Extra 10 to 12' (28" Ball Extra)		7.00	
12 to 14' (36" Ball Extra)		10.00	
nigra. River Birch—40'			
5 to 6'	_ 1.25	1.10	.90
6 to 8'	_ 1.75	1.50	1.25
papyrifera. Canoe or Paper Birch-60'	7 00	4.50	
2 to 2½" (28" Ball Extra)	_ 5.00 _ 7.25	4.50	6.00
2½ to 3" (30" Ball Extra) 3 to 3½" (33" Ball Extra)	11.00	6.60	9.00
3 to 3/2 (33 Ban Extra)	_ 11.00	10.00	3.00
populifolia. Gray Birch—40'			
2 to 2½" (28" Ball Extra)	5.50	5.00	March 200 (AND 1000 AND 100)
2½ to 3" (30" Ball Extra)	_ 8.50	7.75	
3 to 3½" (33" Ball Extra)	_ 11.00	10.00	
Clumps, 2 to 5 Stems: 6 to 8' (20" Ball Extra)	4.95	2 75	3.40
8 to 10' (20" Ball Extra)	_ 4.25	3.75 5.00	4.60
10 to 12' (26" Ball Extra)	7.75	7.00	6.40
12 to 14' (30" Ball Extra)	_ 11.00	10.00	
CARPINUS—betulus. European Hornbeam—60'	250	0.05	2.00
3 to 4' (14" Ball Extra) 4 to 5' (16" Ball Extra)		2.25 3.25	2.00 2.90
5 to 6' (18" Ball Extra)		4.50	4.00
6 to 8' (20" Ball Extra)	7.25	6.50	
caroliniana (americana). American Hornbeam-			
3 to 4' (14" Ball Extra)	_ 1.65	1.40	1.10
4 to 5' (16" Ball Extra)	_ 2.00	1.75	1.50
5 to 6' (18" Ball Extra)	_ 2.75	2.50	2.25
6 to 8' (20" Ball Extra) 8 to 10' (23" Ball Extra)	- 4.00 5.50	3.60 5.00	3.25 4.60
o to to (25 Ban Extra)	_ 5.50	5.00	4.00
CASTANEA—mollissima. Hairy Chestnut—40'			
3 to 4'	_ 1.10	.90	.80
4 to 5'	_ 1.40	1.20	1.00
CATALDA			
CATALPA— speciosa. Western Catalpa—35'			
6 to 8'	1.25	.90	.75
8 to 10'	1.60	1.40	1.25

CELTIS—laevigata (Mississippiensis). Sugarberry—60' 8 to 10' 2 to 2½" 2½ to 3" 3 to 4"	\$ 3.00 4.50 6.00	5 Each \$ 2.75 4.00 5.50 8.25	25 Each
occidentalis. <i>Hackberry</i> —45' 6 to 8' 8 to 10'	1.65 2.25	1.40 2.00	1.15 1.75
CERCIDIPHYLLUM—japonicum, Katsura-tree—24' 5 to 6' (16" Ball Extra) 6 to 8' (18" Ball Extra)	2.50 3.15	2.25 2.80	2.00 2.50
CERCIS—canadensis. Judas Tree, American Redbud— 4 to 5' (15" Ball Extra) 5 to 6' (16" Ball Extra) 6 to 8' (18" Ball Extra) 8 to 10' (22" Ball Extra) 10 to 12' (26" Ball Extra) 12 to 14' (30" Ball Extra)	1.10 1.40 2.00 3.35 7.25	90 1.20 1.75 3.00 6.50 10.00	.75 1.00 1.50 2.75
CLADRASTIS—lutea. Yellow-wood—35' 6 to 8' (20" Ball Extra) 8 to 10' (22" Ball Extra) 1½ to 1½" (24" Ball Extra) 1½ to 2" (26" Ball Extra) 3 to 3½" (35" Ball Extra) 3½ to 4" (38" Ball Extra)	6.25 7.25 9.25 18.00	4.50 5.50 6.50 8.25 16.00	
CORNUS—florida. White-flowering Dogwood—20' 3 to 4' (13" Ball) 4 to 5' (14" Ball) 5 to 6' (15" Ball) 6 to 8' (17" Ball) 8 to 10' (19" Ball)	2.25 3.50	1.50 2.00 3.10 5.00 7.25	1.30 1.75 2.75 4.50 6.50
florida rubra. Red-flowering Dogwood—20' 3 to 4' (13" Ball) 4 to 5' (15" Ball) 5 to 6' (16" Ball)	2.75 3.75 5.50	2.50 3.35 5.00	2.25 3.00
CRATAEGUS—, coccinioides. Dark Crimson Fruits—20' 3 to 4' (13" Ball Extra) 4 to 5' (15" Ball Extra)	1.50 2.00	1.25 1.75	1.00 1.50
crusgalli. Cockspur Thorn—20' 3 to 4' (13" Ball Extra) 4 to 5' (15" Ball Extra) 5 to 6' (17" Ball Extra) 6 to 8' (19" Ball Extra) 8 to 10' (22" Ball Extra)	1.90 2.50	1.25 1.65 2.25 2.75 4.40	1.00 1.40 2.00 2.50 4.00
intricata (coccinea). Scarlet-fruited Hawthorn—20 2 to 3' (12" Ball Extra) 3 to 4' (13" Ball Extra) 4 to 5' (15" Ball Extra) 5 to 6' (16" Ball Extra)	1.10	.85 1.25 1.75 2.25	

			4-1
CRATAEGUS—Continued	1 Each	5 Each	25 Each
mollis. Downy Hawthorn—18'			
4 to 5' (15" Ball Extra)	\$ 1.75	\$ 1.50	\$ 1.25
5 to 6' (16" Ball Extra)		1.75	1.50
6 to 8' (18" Ball Extra)	_ 2.50	2.25	2.00
8 to 10' (22" Ball Extra)	3.75	3.35	3.00
monogyna. One Stone English Hawthorn—20'	1.50	1.05	7.00
3 to 4' (13" Ball Extra)		1.25	1.00
4 to 5' (15" Ball Extra)		1.60	1.35
5 to 6' (16" Ball Extra)	_ 2.25	2.00	1.75
nitida			
4 to 5' (15" Ball Extra)	_ 2.00	1.75	1.50
5 to 6' (16" Ball Extra)	_ 2.35	2.10	1.85
6 to 8' (18" Ball Extra)	_ 2.75	2.50	2.25
annountly English Hauston 200			
oxyacantha. English Hawthorn20' 3 to 4' (13" Ball Extra)	1.50	1.25	1.00
4 to 5' (15" Ball Extra)	1.85	1.60	1.35
5 to 6' (16" Ball Extra)	2.25	2.00	1.75
6 to 7' (18" Ball Extra)		2.50	2.25
	_ 4.10	2.00	4.20
oxyacantha plena. Double White Hawthorn-15'			
4 to 5' (15" Ball Extra)	_ 2.50	2.25	2.00
oxyacantha rosea plena. Double Pink Hawthorn-	15'		
5 to 6' (16" Ball Extra)	2.50	2.25	2.00
6 to 7' (18" Ball Extra)		3.00	2.75
		0.00	2.10
oxyacantha pauli. Paul's Double Scarlet Hawtho			
2 to 3' (12" Ball Extra)		1.00	.85
3 to 4' (13" Ball Extra)	_ 1.65	1.40	1.15
4 to 5' (15" Ball Extra)	_ 2.00	1.75	1.50
5 to 6' (16" Ball Extra)	_ 2.25	2.00	1.75
6 to 8' (18" Ball Extra)	_ 2.75	2.50	2.25
phaenopyrum (cordata). Washington Hawthorn-	-20'		
3 to 4' (13" Ball Extra)		1.40	1.15
4 to 5' (15" Ball Extra)	2.00	1.75	1.50
5 to 6' (17" Ball Extra)	_ 2.25	2.00	1.75
6 to 8' (19" Ball Extra)	2.75	2.50	2.25
8 to 10' (22" Ball Extra)	_ 4.00	3.60	3.25
8 to 10' (22" Ball Extra) 10 to 12' (26" Ball Extra)	_ 6.00	5.50	
DIOSPYROS-virginiana. Common Persimmon-25'			
4 to 6'	_ 1.75	1.50	
FAGUS-grandifolia (americana). American Beech-	-60'		
6 to 8' (20" Ball)		6.00	5.50
8 to 10' (24" Ball)		8.00	7.25
10 to 12' (27" Ball)	12.00	10.50	9.50
	11-11-1		
sylvatica riversi. Rivers Purple Beech—45'	0.05	7.50	
5 to 6' (18" Ball)		7.50	
6 to 7' (20" Ball) 7 to 8' (22" Ball)	10.00	9.00	
7 to 8' (22" Ball) 8 to 10' (26" Ball)	10.00	12.00 16.00	
10 to 12' (30" Ball)		10.00	
to to 12 (or Dan)	_ 20.00		

FRAXINUS—americana. White Ash—60'	1 Each	5 Each	25 Each
6 to 8'		\$ 1.25	\$ 1.00
8 to 10'	_ 1.85	1.60	1.35
GINKGO—biloba. Maidenhair Tree—50'			
5 to 6'	2.25	2.00	1.75
6 to 8'	_ 2.75	2.50	2.25
8 to 10' 3 to 4"	_ 3.85	3.50	
fastigiata. Sentry Maidenhair Tree-50'	_ 17.50		
3 to 4'	2.50	2.25	2.00
GLEDITSIA—triacanthos. Common Honeylocust—60'	,		
5 to 6'		1.05	.85
6 to 8'		1.35	1.10
8 to 10'		2.00	1.75
1½ to 2"		2.75	2.50
2 to 2½"	_ 5.00	4.50	
triacanthos inermis. Thornless Honeylocust-50'	7 50	7.05	3.00
5 to 6'	_ 1.50	1.25	1.00
6 to 8' 8 to 10'		1.75 2.50	1.50 2.25
GYMNOCLADUS—dioica. Kentucky Coffee Tree—4		2.00	2,20
5 to 6'	_ 2.25	2.00	
6 to 8'		3.00	
JUGLANS—cinerea. Butternut—40' 3 to 4'		.75	.60
4 to 5'		.90	.75
5 to 6'		1.25	1.00
nigra. Black Walnut—80'			
3 to 4'	90	.75	.60
4 to 6'		1.00	.85
6 to 8'		1.50	1.25
2 to 2½"	_ 5.50	5.00	AA 80 VE
KOELREUTERIA-paniculata. Goldenrain Tree-25	,		
4 to 6'		1.50	
6 to 8'	_ 2.25	2.00	
LARIX—decidua (europaea). European Larch—60'			
3 to 4' (15" Ball)	_ 2.50	2.25	
4 to 5' (16" Ball)	_ 3.75	3.35	
5 to 6' (18" Ball)	_ 5.00	4.50	4.00 6.00
6 to 8' (22" Ball) 8 to 10'	7.25	6.60 9.00	0.00
10 to 12'	14.50	13.00	
leptolepis. Japanese Larch—45'	17.00	15.00	
2 to 3' (13" Ball)	_ 2.00	1.75	1.50
3 to 4' (15" Ball)	_ 2.75	2.50	
4 to 5' (16" Ball)	_ 3.75	3.35	
5 to 6' (18" Ball)	_ 5.00	4.50	
LIOUIDAMBAR—styraciflua. Sweet Gum—50'			
5 to 6'	_ 1.85	1.60	1.35
6 to 8'	_ 2.25	2.00	1.75
8 to 10'	_ 3.25	3.00	2.70
1½ to 2"	_ 4.50	4.00	

LIQUIDAMBAR—styraciflua—Continued 3 to 4" 4 to 5"	1 Each \$16.50	5 Each \$15.00 22.50	25 Each
5 to 6"	38.50	35.00	
LIBIODENDON ALCOHOL THE Tree 60'			
LIRIODENDRON—tulipifera. Tulip Tree—60' 5 to 6'	1.25	1.05	
6 to 8'	1.75	1.50	1.25
8 to 10'	2.00	1.75	1.50
1½ to 1½"	2.50	2.25	2.00
1½ to 2"	3.60 6.00	3.25 5.50	
2 to 2½"	9.00	8.00	
MAGNOLIA—acuminata. Cucumber Tree—70'			
8 to 10' (20" Ball)	10.00	9.00	8.00
10 to 12' (22" Ball)	13.50	12.00	11.00
1½ to 2" (25" Ball) 2 to 2½" (28" Ball)	21.00	18.00	
2 to 2½" (28" Bau) kobus—25'	25.00	22.00	
2 to 3' (12" Ball)	2.50	2.25	2.00
3 to 4' (14" Ball)	3.00	2.75	2.50
4 to 5' (16" Ball)	4.25	3.85	3.50
5 to 6' (18" Ball)	5.50	5.00	
soulangeana. Saucer Magnolia—18' 4 to 5' (15" Ball)	6.50	6.00	
virginiana (glauca). Sweet Bay—20'	0,00	,,,,,,	
3 to 4' (14" Ball)	2.50	2.25	2.00
4 to 5' (15" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	5.00	4.50	4.00
6 to 8' (18" Ball)	6.75	6.00	5.50
MALUS—arnoldiana. Arnold Crab—10'			
4 to 5'		.90	.75
5 to 6' 6 to 8'		1.25 1.75	1.00 1.50
atrosanguinea. Carmine Crab—12'	2.00	1.75	1.50
3 to 4'	1.00	.75	.60
4 to 5'		.90	.75
5 to 6'	1.50	1.25	1.00
6 to 8'	2.00	1.75	1.50
baccata. Siberian Crab-25'	2.25	0.0	
4 to 5'5 to 6'		.90 1.25	.75 1.00
5 to 6' 6 to 8'		1.75	1.00
baccata columnaris. Columnar Siberian Crab—2		10	
4 to 5'	1.50	1.25	
5 to 6'		1.50	1.25
6 to 8'	\(2.25	2.00	1.75
baccata mandshurica. Manchurian Crab—25' 4 to 5'	1.15	.90	.75
5 to 6'	1.50	1.25	1.00
6 to 8'	2.00	1.75	1.50
See page 61 for Balling (B&B)	schedule.		

MALUS—Continued	Each	5 Each	25 Each
coronaria. Wild Sweet Crab. Fragrant blush bloor	n15′		
4 to 5'	3 1.00	\$ 0.80	\$ 0.65
5 to 6'	1.35	1.10	.90
6 to 8'	1.75	1.50	1.25
8 to 10'	3.35	3.00	
dolga. White, red fruit—15'			
3 to 4'	.90	.75	.65
4 to 5'	1.10	.90	.75
5 to 6'	1.50	1.25	1.00
6 to 8'	2.00	1.75	1.50
Echtermeyer. New. Weeping Crab-10'			
Single pink, bronze-green foliage.			
3 to 4'	1.75	1.50	1.25
4 to 5'	2.25	2.00	1.75
5 to 6'	2.75	2.50	2.25
floribunda. Japanese Flowering Crab—12'			
3 to 4'	1.00	.75	.60
4 to 5'	1.15	.90	.75
5 to 6'	1.50	1.25	1.00
6 to 8'	2.00	1.75	1.50
gloriosa. New. Bronze foliage. Wine-red		1,10	1.00
flowers—15'			
4 to 5'	2.00	1.75	1.50
5 to 6'	2.50	2.25	2.00
6 to 8'	3.00	2.75	2.50
halliana parkmani. Parkman Crab. Semi-double,	J.00	4.73	2.50
rose-pink—12'			
5 to 6'	2.00	1.75	1.50
6 to 8'		2.25	2.00
hopa. Red Flowering Crab-12'	2.00	2,20	2.00
3 to 4'	.75	.60	.50
4 to 5'		.85	.65
		1.10	
5 to 6'	1.33	1.10	.90
6 to 8'	1.75		1.25
8 to 10'	3.50	3.10	2.75
10 to 12'	4.25	3.85	3.50
hupehensis (theifera). Tea Crab—18'	1.75	1.05	7.00
4 to 5'	1.75	1.25	1.00
5 to 6'	2.00	1.75	1.50
6 to 8'	3.10	2.75	2.50
ioensis plena. Bechtel Double Pink Crab-14'	00	CO	F0.
2 to 3'	.80	.60	.50
3 to 4'	1.00	.85	.75
4 to 5'	1.50	1.25	1.00
5 to 6'	2.00	1.75	1.50
6 to 7'	2.50	2.25	2.00
micromalus. Midget Crab. Single pink-10'			
5 to 6'	1.85	1.60	1.35
6 to 8'	2.25	2.00	1.75
prunifolia rinki. Chinese Apple—15'			
5 to 6'	1.50	1.25	1.00
6 to 8'	2.00	1.75	1.50
pumila niedzwetzkyana. Redvein Crab—12'			
6 to 8'	1.75	1.50	1.25
	2.50	2.25	2.00
10 to 12'	5.50	4.50	
** ** *** ****************************	0.00	2.00	

MALUS	1 Each	5 Each	25 Each
purpurea eleyi. Best red variety—12'			
3 to 4'	_\$ 0.90	\$ 0.65	\$ 0.50
4 to 5'	_ 1.00	.80	.65
5 to 6'		1.10	.90
6 to 8'	_ 1.75	1.50	1.25
purpurea lemoinei. New. Scarlet-crimson—15'			
4 to 5'	1.75	1.50	1.25
5 to 6'	2.25	2.00	1.75
6 to 8'	$_{-}$ 2.75	2.50	2.25
robusta fastigiata. Pyramidal Cherry Crab. Single, light pink. Upright—15'			
4 to 5'	1.75	1.50	1.25
5 to 6'		2.00	1.75
6 to 8'	2.75	2.50	2.25
sargenti. Sargent Crab. Dwarf, pure white-14'			
4 to 5'	_ 1.75	1.50	1.25
5 to 6'	_ 2.00	1.75	1.50
6 to 8'	_ 2.75	2.50	
scheideckeri. Double rose—12'			
4 to 5'	_ 1.15	.90	.75
5 to 6'		1.25	1.00
6 to 8'		1.60	1.40
sieboldi. Toringo Crab-15'			
5 to 6'	_ 1.50	1.25	1.00
6 to 8'		1.60	1.40
spectabilis flpl. Double Chinese Flowering Crai		1.00	1.40
4 to 5'	_ 1.15	.90	
5 to 6'	_ 1.15	1.25	1.00
6 to 8'	_ 2.00	1.75	1.50
	_ 2.00	1.75	1.50
toringoides. Cutleaf Crab—15'	7.40	1.75	1.00
4 to 5'	_ 1.40	1.15	1.00 1.50
5 to 6'		1.65	2.00
0 10 0	2.50	2.25	2.00
MORUS—alba tatarica. Russian Mulberry—30'			
6 to 8'	1.15	1.00	.85
8 to 10'	$\begin{array}{ccc} & 1.15 \\ & 1.75 \end{array}$	1.00 1.50	1.25
0 10 10	_ 1.75	1.50	1.25
OXYDENDRUM-arboreum. Sourwood, Sorrel Tree-	30/		
		25	60
2 to 3' (13" Ball Extra) 3 to 4' (15" Ball Extra)	_ 1.00	.75	.60
4 to 5' (16" Ball Extra)	1.25	1.00	.75 1.00
5 to 6' (18" Ball Extra)	1.50	1.25	1.75
6 to 8' (20" Rall Extra)	2.25	2.00 3.00	1.70
6 to 8' (20" Ball Extra) 8 to 10' (24" Ball Extra)	3.25 5.00	4.50	
10 to 12' (28" Ball Extra)	_ 5.00 _ 7.75	7.00	
		7.00	
PHELLODENDRON—amurense. Amur Corktree—50			
4 to 6'	1.25	1.00	.75
6 to 8'	1.50	1.25	1.00
8 10 10.	2 00	1.75	1.50
1½ to 1½"	2.25	2.00	
1½ to 1½" 1½ to 2"	3.10	2.75	

DI A/DANIIC 'I I' A ' DI			
PLATANUS—occidentalis. American Planetree	1 Each	5 Each	25 Each
6 to 8'		\$ 1.25	\$ 1.00
8 to 10'	1.75	1.50	1.25
1½ to 1½"	2.25	2.00	1.75
1^{1} to 1^{3} "		2.50	2.25
1¾ to 2"	3.60	3.20	2.85
2 to 2½"	4.50	4.10	3.75
2½ to 3"	7.25	6.60	6.00
orientalis. European Sycamore or Plane-70'			0.00
6 to 8'	1.50	1.25	1.00
8 to 10'	1.75	1.50	1.25
11/4 to 11/6"	2 25	2.00	1.75
1¼ to 1½" 1¾ to 2"	3.60	3.20	2.85
$2 \text{ to } 2^{1/2}''$	4.50	4.10	3.75
2½ to 3" 3 to 3½"	0.50	6.00	5.50
		8.25	7.50
3½ to 4"		10.50	9.50
4 to 4½"		13.00	12.00
4½ to 5"	19.00	17.00	15.00
5 to 5½"	25.00	22.00	20.00
5½ to 6"	31.00	27.00	25.00
6 to 6½"	40.00	35.00	32.00
DODIN NG			
POPULUS—			
bolleana. Bolleana Silver Poplar—50'	00	7.5	60
6 to 8'		.75	.60
8 to 10'		1.00	.80
$1\frac{1}{4}$ to $1\frac{1}{2}$ "	1.50	1.25	1.00
1½ to 1½" 1½ to 1¾"	2.25	2.00	1.75
$1\frac{8}{4}$ to $2^{\frac{1}{4}}$ =	3.35	3.00	2.50
2 to 2½"	4.50	4.00	3.50
2½ to 3"	6.25	5.50	5.00
maximowiczi. Japanese Poplar—70'			
11/4 to 11/6"	1.75	1.50	1.25
1½ to 1½" 1½ to 2"	2.25	2.00	1.75
2 to 2½"	3.50	3.10	2.75
	3.00	3.10	2.10
nigra italica. Lombardy Poplar-70'	75	60	50
8 to 10'		.60	.50
1½ to 1½"	\1.00	.75	.60
1½ to 1¾" 1¾ to 2"	1.50	1.25	1.00
1¾ to 2"	2.00	1.75	1.50
2 to 2½"	2.50	2.25	2.00
PRUNUS—(See Shrubs for other Prunus.)			
americana. American Plum—20' 5 to 6' (\$325.00 per 1000)	70	.50	.40
5 to 0 (\$525.00 per 1000)	90	.75	.65
6 to 8' (\$500.00 per 1000)		.13	.00
americana Newport. Purple-leaved American P	lum20	00	70
5 to 6'	1.15	.90	.70
6 to 8'	1.50	1.25	1.00
Thunder Cloud—20'—The finest of all Purple	≥-		
Leaf Plums. Very hardy.			
Leaf Plums. Very hardy. 6 to 8' Specimen	2.50	2.25	2.00
"amygdalus" rubroplena. Double Red Floweri	ing		
Peach-20'			
3 to 4'	55	.45	.40
4 to 5'		.60	.50
T t 0 0			

PRUNUSContinued	1 Each	5 Each	25 Each
blireiana—15'. A fine new variety with purpl tinted foliage and semi-double apple-blossom	e 1-		
pink flowers. 4 to 5'	\$ 1.35	\$ 1.10	\$ 0.90
5 to 6' 6 to 8'		1.50 2.00	1.25 1.75
cerasifera pissardi nigra. Deepest purple—12'			
4 to 5' 5 to 6'		.75 1.00	.60
6 to 8'		1.50	1.25
cistena. Hansen's Purpleleaf Plum—8' A semi-dwarf, very hardy variety with brillian foliage.			
3 to 4'%		.50	.40
4 to 5'	85	.65	.50
padus. European Bird Cherry—30' 4 to 5'	75	.60	
5 to 6'	95	.80	
6 to 8'	_ 1.20	1.00	
padus commutata. May Day Tree—18'	4.7	0.5	20
2 to 3' 3 to 4'		.35 .50	.30
5 to 6'		.60	.50
serrulata sachalinensis.			
4 to 5'		.85	.70
5 to 6'	_ 1.50	1.25	1.00
6 to 8'	_ 1.85	1.60	1.35
subhirtella. <i>Higan Cherry</i> —30' 4 to 5'	_ 1.75	1.50	
5 to 6'	2.25	2.00	1.75
6 to 8'	_ 3.00	2.75	
subhirtella autumnalis. Autumn Flowering Higan Cherry—25'	0.00	0.5%	
4 to 5' 5 to 6'		2.75	3.00
6 to 8'		4.00	3.60
subhirtella pendula. Weeping Higan Cherry-12			
5 to 6', 2-yr. heads		2.75	2.50
virginiana. Common Chokecherry—30'	0.5		
4 to 5' 5 to 6'		.65 .80	
6 to 8'		1.05	
JAPANESE DOUBLE FLOWERING Prices following varieties:	CHERR	UES	
3 to 4'	1 Each	5 Each	25 Each
4 to 5'		\$ 1.00 1.35	\$ 0.85 1.15
5 to 6'	2.00	1.75	1.50
6 to 8'		2.50	
8 to 10' specimen	_ 6.00	5.50	
Prices on specimens up to 3" on request.			

PRUNUS—Continued

Amanagawa-Semi-double pale pink.

fugenzo. Kofugen. James H. Veitch-30'. Double pink.

Horinjii-Double pale pink.

Ichiyo-Double pink.

Ojochin-Semi-double pink.

sekiyama. Kwanzan Cherry-30'. Double dark pink.

Senriko—Semi-double pale pink.

Shirofugen-Double light pink.

Shirotae-Double white.

Shogetsu-Double pink.

sieboldi. Naden. Siebold Cherry-30'. Double pink.

Takinioi—Single white.

Ukon-Double tea colored.

PTELEA—trifoliata. Common Hoptree—25'		1 Each	5 Each \$ 0.50	25 Each \$ 0.40
4 to 5'			.65	.50
5 to 6'			.90	.75
		1.10	.,,0	.10
QUERCUS—coccinea. Scarlet Oak—75'				
6 to 8'			1.85	1.60
8 to 10'			3.10	2.75
$1\frac{1}{2}$ to 2 "		4.75	4.25	
2 to 2½"		6.75	6.00	
$2\frac{1}{2}$ to 3"		10.50	9.25	8.25
3 to $3\frac{1}{2}$ "			14.00	12.50
3½ to 4"			18.00	7
4 to 5" 5 to 6"		26.00	23.50	
5 to 6"		35.00	32.00	
macrocarpa. Mossy-cup-75'				
2 to 2½"		8.25	7.25	
2½ to 3"		10.00	9.00	
3 to 3½"			14.00	
palustris. Pin Oak—75'				
parastris. 1 m oun 10	1 Each	5 Each	25 Each	250 Each
4 to 5' Med. Br. Transplanted	\$0.80	\$ 0.55	\$ 0.40	\$ 0.30
5 to 6' Med. Br. Transplanted		.65	.50	.40
200 0 1.2021 221 221 1.00 p. 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		1 77 1	5 D 1	07 FL 1
"		1 Each	5 Each	25 Each
5 to 6'			\$ 1.25	\$ 1.00
6 to 8'			1.75	1.50
8 to 10'		2.75	2.50	2.25
1½ to 1½"		3.00	2.75	2.50
1½ to 1¾"		3.75	3.35	3.00
1¾ to 2"			4.10	3.75
2 to 2½"			5.50	5.00
2½ to 3"			7.70	7.00
3 to 3½"			11.00	10.00
3½ to 4"			15.50	14.00
4 to 5"			22.00	20.00
5 to 6"		33.00	30.00	27.50
		42.00	38.00	35.00
7 to 12", Prices on Application				

QUERCUS—Continued	1 Each	5 Each	25 Each
robur. English Oak-70'			
2½ to 3"		\$ 7.70	\$ 7.00
3 to 3½"		11.00	10.00
3½ to 4"	17.00	15.50	14.00
4 to 5"	25.00	22.00	20.00
5 to 6"		30.00	27.50
6 to 7"	42.00		
robur fastigiata. Pyramidal English Oak—60'	0.05	9.00	1.75
3 to 4'		2.00	1.75
4 to 5'	3.50	3.10	2.75
rubra. Red Oak—75'			
4 to 6'	1.50	1.25	1.00
6 to 8'		1.75	1.50
8 to 10'		2.50	2.25
1½ to 1½"	3.50	3.10	2.75
174 10 172	3.30	4.00	3.50
1½ to 1¾"	4.50		
1% to 2"	5.50	5.00	4.50
2 to 2½"	7.75	7.00	6.50
$2\frac{1}{2}$ to $3^{\prime\prime}$		9.50	8.50
3 to 3½"	15.50	14.00	12.50
3½ to 4"	22.00	20.00	
4 to 5"		27.50	
	00100	21100	
SALISBURIA— (See Ginkgo.)			
SALIX-babylonica. Babylon Weeping Willow-55'			
6 to 8'	1.00	.80	.70
8 to 10'		1.10	.90
11/ + 11/"	1.33	1.50	1.25
1½ to 1½"	1.75		
$1\frac{1}{2}$ to $2^{\prime\prime}$		2.25	2.00
babylonica salamoni. Salomon Weeping Willow-			
6 to 8'	1.25	1.05	.90
irrorata. Blue Stem Willow-12'			
5 to 6'	90	.75	.60
		.10	.00
matsudana tortuosa. Marcel or Corkscrew Willo			
4 to 6'		1.10	.85
6 to 8'	1.85	1.60	1.35
8 to 10'	2.35	2.10	1.85
$1\frac{1}{2}$ to $2^{\prime\prime}$	3.50	3.10	2.75
2 to 2½"	5.00	4.50	4.00
vitellina. Golden-barked Willow-40'			
	1.50	7.05	1.00
8 to 10'		1.25	1.00
1½ to 2"		2.00	1.75
2 to 2½"		3.30	3.00
$2\frac{1}{2}$ to 3"	6.00	5.50	
3 to 3½"		8.00	
(For Other Willows See Shrub S	Section)		
SORBUS—aucuparia. European Mt. Ash—30'			
6 to 8'	1.65	1.40	1.15
			1.15
	2.00	1.75	
1½ to 1¾"	3.25	2.85	2.50

SORBUS—Continued quercifolia. Oak-leaf Mountain Ash—25'	1 Each	5 Each	25 Each
6 to 8'	\$ 200	\$ 1.75	\$ 1.50
8 to 10'	2.75	2.50	2.25
1½ to 2"	4.50	4.00	3.65
TAXODIUM—distichum. Common Baldeypress—80'			3.00
4 to 5' (17" Ball)	4.50	4.00	
5 to 6' (19" Ball)	6.00	5.50	
6 to 8' (22" Ball)	9.00	8.00	
8 to 10' (24" Ball)	14.00	12.50	
TILIAamericana. American Linden—80'			
$1\frac{1}{2}$ to $2^{\prime\prime}$	_ 3.00	2.75	2.50
	_ 5.00	4.40	4.00
$2\frac{1}{2}$ to $3^{"}$	7.25	6.60	6.00
3½ to 4"	13.00	9.50 11.50	8.50 10.50
4 to 5"	18.50	16.50	10.50
5 to 6"	27.50	10.50	
cordata. Littleleaf European Linden—70'			
6 to 8'	2.00	1.75	1.50
8 to 10'		2.25	2.00
europaea (vulgaris). Common European Linden-	-60 ′		
6 to 8'	1.75	1.50	1.25
8 to 10'	2.50	2.25	2.00
platyphyllos. Bigleaf European Linden—75'	0.50	0.05	
8 to 10'	2.50	2.25 3.70	3.35
2 to 21/2"	5.50	5.00	3.33 4.60
2 to 2½"	10.50	9.50	8.50
3½ to 4"	13.50	12.00	11.00
4 to 5"	22.00	19.00	17.00
ULMUS—americana. White or American Elm—80'			
6 to 8'	1.35	1.10	.90
8 to 10'	1.85	1.60	1.40
. $1\frac{1}{4}$ to $1\frac{1}{2}$ "	2.15	1.80	1.65
$1\frac{1}{2}$ to $1\frac{3}{4}$ "	2.60	2.35	2.10
13/4 to 2"		3.15	2.85
2 to 2½"	4.50	4.10	3.75
2½ to 3" 3 to 3½"		6.00 8.25	5.50 7.50
3 to 3½"		11.00	10.00
4 to 5"	19.00	17.50	16.00
5 to 6"		25.00	
americana urni—Vase-Shaped Elm—60'			
8 to 10'	2.15	1.90	1.65
1½ to 1½"	2.50	2.25	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ "	3.25	3.00	2.75
1¾ to 2"	4.25	3.85	3.50
2 to 2½"	6.00	5.00	4.50
$2\frac{1}{2}$ to $3^{\prime\prime}$	8.25	7.50	

ULMUS—Continued	1 Each	5 Each	25 Each
americana molini. Moline Elm—90'	A 4.05		
1¾ to 2"		\$ 3.85	\$ 3.50
2 to 2½"		5.00	4.50
2½ to 3"		6.60	
3 to 3½"		9.50	
$3\frac{1}{2}$ to $4''$		12.50	11.50
4 to 5"		18.50	17.00
5 to 6"	_ 30.00		
carpinifolia (campestris). English Cork Elm-80	<i>'</i>		
6 to 8'	1.90	1.65	1.40
8 to 10'	2.50	2.10	1.85
1½ to 1½"	2.75	2.50	2.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ "	3.30	3.00	2.75
1¾ to 2"		3.70	3.35
2 to 2½"	5.50	5.00	4.50
$2\frac{1}{2}$ to $3^{\prime\prime\prime}$	8.00	7.25	6.50
3 to 3½"		10.00	9.00
3½ to 4"	15.00	14.00	
4 to 5"	22.00	20.00	
pumila. Chinese Elm. New-45'			
6 to 8'	1.35	1.10	.90
8 to 10'	1.75	1.50	1.25
1¼ to 1½"	2.25	2.00	
2 to 2½"		4.40	4.00
$2\frac{1}{2}$ to 3"		6.60	6.00
3 to 4"		10.00	9.00
4 to 5"	19.00		

Deciduous Shrubs

The size immediately following the description indicates approximate height at maturity.

ACANTHOPANAX—sieboldianus (pentaphyllum).	1 Each	5 Each	25 Each
Five-leaved Aralia—8' 2 to 3'	\$ 0.45	\$ 0.35	\$ 0.30
3 to 4'		.45	.38
4 to 5'		.55	.45
ALTHEA—(See Hibiscus.)			
	0.51		
AMELANCHIER—canadensis. Downy Serviceberry-3 to 4'	25′ 80	.70	
4 to 5'	1.10	.90	
5 to 6'		1.35	
ARONIA—arbutifolia. Red Chokeberry—6'			
2 to 3'	40	.32	.27
3 to 4'		.40	.35
brilliantissima. Brilliant Chokeberry—6'			
1½ to 2′		.30	.25
2 to 3/1		.35	.30
3 to 4'	55	.45	.40
AZALEA—(All Azalea B&B)			
calendulacea. Flame Azalea—Yellow—8'			
1½ to 2′ (11″ Ball)		1.75	
2 to 3' (12" Ball)	2.75	2.50	
gandavensis. Ghent Azalea—5' 1½ to 2' (12" Ball)	3.10	2.75	
2 to 2 ¹ / ₂ ' (13" Ball)		2.10	
mollis. Chinese Azalea—3'	1110		
9 to 12" (9" Ball)	1.10	.90	.70
12 to 15" (10" Ball)	1.50	1.25	1.00
15 to 18" (11" Ball)		1.85	1.60
1½ to 2′ (12″ Ball)		2.50	2.25
2 to 2½′ (13″ Ball)	3.75	3.50	
nudiflora. Pinxterbloom 1½ to 2' (11" Ball)	2.00	1.75	
2 to 3' (12" Ball)		2.25	
poukhanensis. Korean Azalea—6'			
18 to 24" (12" Ball)	2.75	2.50	2.25
24 to 30" (13" Ball)	3.75	3.50	
yodogawa. Deep lavender—3'			7.40
15 to 18" (11" Ball)		1.85	$\frac{1.60}{2.25}$
1½ to 2′ (12″ Ball)		2.50 3.50	
2 to 2½′ (13″ Ball)	5,75	5,50	
BENZOIN (Lindera), aestivale, Spicebush—10'	25	95	20
1½ to 2′	35	.25 .35	.20 .30
2 to 3'3 to 4'		.45	.40
4 to 5'		.60	.50
5 to 6'		.80	.65

BERBERIS	1 Each	5 Each	25 Each
koreana. Korean Barberry—6'. New 1½ to 2' 2 to 2½' 2½ to 3' 3 to 4' 4 to 5' 5 to 6'	.45 .55 .70 .90	\$ 0.30 .35 .45 .60 .80	\$ 0.25 .30 .40 .50 .70
thunbergi. Japanese Barberry—4' 12 to 15" 15 to 18" 1½ to 2' 2 to 2½' 2½ to 3' thunbergi atropurpurea. Red-leaved Japanese Ba	.\$ 0.14 17 21 27 37	25 Each 2 \$ 0.12 .14 .17 .22 .30	\$ 0.10 \$ 0.10 .12 .15 .20 .25
12 to 15"	.17 .21 .27 .35	.14 .17 .22 .30 .40	.12 .15 .20 .27 .35
thunbergi erecta—Price, inside Front Cover.			
thunbergi minor. Box Barberry—3' 9 to 12" 12 to 15" 15 to 18" 1½ to 2' 2 to 2½'	21 27 35	.15 .18 .23 .30 .35	.13 .16 .20 .25 .30
BERBERIS—mentorensis. (The Evergreen Barberry)—4'. U. S. Plant A fine, hardy, practically evergreen barberry whi sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2' 2 to 2½'2½ to 3'	ch we a Each 5 0.30 \$.35 .45	re license Each 25	d to
BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all other "Butt is hardy and does not freeze down in the winter. Chaborne on long arching branches. Profuse in flower in edistinct foliage.	rming li	lac-nurnle	flowers
3 to 4' 4 to 5' 5 to 6'	\$ 0.45	\$ 0.35 .45 .60	\$ 0.30 .40 .50
BUDDLEIA—Butterflybush or Summer Lilac Fortune. Plant Patent No. 206. Clear lavender-blu 2 years, field grown (\$225 per 1000)	ue. 5'	.40	.25

New Buddleia	s		
Charming			
New outstanding PINK Buddleia bearing and autumn, long sprays of lavender-p	ink flower		
variety the best of all and recommend it	highly.		
Concord. Purplish blue.			
Dubonnet. Reddish purple; fine improvemen	t on Ile de	France.	Nearest
true red introduction to date.			
Price of above new introductions—	1 Each	5 Each	25 Each
1-year	\$ 0.30	\$ 0.25	\$ 0.20
2-year		.30	
Royal Purple. New glorious purple.			
l-vear	.50	.40	.35
Royal Red. (Patent applied for.) The New	est		
Buddleia. The color we all have been wa	ait-		
ing for.			
l-vear	55	45	40

CALYCANTHUS—floridus. Strawberry Shrub.	1 Each	5 Each	25 Each
15 to 18"	\$ 0.35	\$ 0.25	\$ 0.20
1½ to 2′		.30	.25
2 to 3'		.45	.35
		.50	.40
3 to 4'CARAGANA—arborescens. Siberian Pea-tree—12'	00	.50	.40
	.30	.20	14
1½ to 2′			.16
2 to 3'		.25	.20
3 to 4'	.40	.30	.25
CARYOPTERIS, "Blue Mist." New. Hardy.	-		4=
2-yearCEANOTHUS—americanus. Jersey-tea—3'	60,	.50	.45
			~=
2 years	.40	.30	.25
CEPHALANTHUS—occidentalis. Buttonbush—6'			
2 to 3'		.30	.25
3 to 4'		.35	.30
4 to 5'	60	.50	.45
5 to 6'	80	.70	
CERCIS—See Ornamental Trees.			
CHAENOMELES—lagenaria (Cydonia japonica).			
Japan Quince—5'			
$1\frac{1}{2}$ to $2'$.35	.27	.22
2 to 3'		.30	
CHIONANTHUS—virginica. White Fringe—15'			
3 to 4'	80	.70	.60
4 to 5'		.90	.80
5 to 6'	7.05	1.10	1.00
6 to 8'		1.75	1.50
CLETHRA—alnifolia, Sweet Pepper Bush—5'			
12 to 18"	.35	.27	.22
1½ to 2′		.35	.27
		.40	.35
2 to 2½'		.55	.45
COMPTONIA I I Sweetfarn 2'		.00	.10
COMPTONIA—asplenifolia. Sweetfern—3'	.50	.40	
1½ to 2′	,00	****	

CORNUS	1 Each	5 Each	25 Each
alba elegantissima. Silverblotch Dogwood—6'	e 0.40	\$ 0.30	\$ 0.25
1½ to 2′	\$ 0.40		
2 to 3'		.40	.35
3 to 4'	.60	.50	.45
alba sibirica. Coral Dogwood-8'			
2 to 3'		.27	.22
3 to 4'		.35	.27
4 to 5'		.45	.35
5 to 6'	65	.55	.45
alba spaethi. Golden-leaved Dogwood-6'			
1½ to 2′	40	.30	.25
2 to 3'	.50	.40	.35
3 to 4'	60	.50	.45
4 to 5'	80	.65	.55
amomum (sericea). Silky Dogwood—8'			
5 to 6'		.55	.45
6 to 8'		.65	.55
baileyi. Bailey Dogwood-10'			
2 to 3'	.40	.30	.25
3 to 4'		.35	.30
4 to 5'		.45	.40
5 to 6'		.60	.50
florida—See Ornamental Trees.	10	.00	.50
mas. Cornelian-cherry—20'			
3 to 4'	1.35		
		1.75	
4 to 5'		1.75	
5 to 6'	2.75	2.50	
6 to 8'	3.75	3.35	
racemosa (paniculata). Gray Dogwood-12'			~ ~
3 to 4'		.40	.35
4 to 5'		.50	.45
5 to 6'	.80	.65	.55
6 to 8'	1.00	.90	.80
sanguinea. Bloodtwig Dogwood—10'			
3 to 4'	45	.35	.27
4 to 5'		.40	.35
5 to 6'	.60	.50	.45
6 to 8'	85	.70	.60
stolonifera. Red-osier Dogwood-10'			
3 to 4'	45	.35	.27
4 to 5'	.50	.40	.35
5 to 6'	.60	.50	.45
6 to 8'	.85	.70	.60
stolonifera flaviramea. Goldentwig Dogwood-6'			
2 to 3'	40	.30	.25
3 to 4'		.40	.35
4 to 5'		.60	.50
		,50	
CORYLUS—americana. American Hazelnut—12'			
2 to 3'	45	.35	.30
3 to 4'		.45	.40
4 to 5'		.60	.50
5 to 6'	.90	.75	.65
avellana. Filbert—15'			
8 to 10', Specimens	2.50	2.25	2.00
, .			

COTINUS coggygria (Rhus cotinus). Smoketree or F			
1½ to 2′	1 Each	5 Each	25 Each
2 to 3'	.65	\$ 0.40	\$ 0.35
3 to 4'	85	.50 .70	.40
4 to 5'	05		.60
5 to 6'	1.10	1.00 1.45	.85 1.20
6 to 8'	2.25	2.00	1.75
COTONEASTER	_ 4.40	2.00	1.10
acutifolia. Peking Cotoneaster—10'			
2 to 3'	4.5	25	07
3 to 4'	.45	.35	.27
4 to 5'	50	.40 .60	.35
adpressa. Creeping Cotoneaster—2'	70	.00	.50
1½ to 2' (12" Ball)	2.25	2.00	1 75
dielsiana. Diels Cotoneaster—6'	_ 4.43	2.00	1.75
1½ to 2' (11" Ball)	1.50	1.25	7.00
3 to 4' (14" Ball)	2.00	1.25	1.00 1.50
divaricata. Spreading Cotoneaster—6'	_ 2.00	1.75	1.50
2 to 3' (13" Ball)	1.40	1.15	1.00
3 to 4' (14" Ball)	1.75	1.15	1.00
4 to 5' (16" Ball)	2.50	2.25	1.25 2.00
foveolata—10'	_ 2.50	2.23	2.00
4 to 5' (15" Ball)	2.50	2.25	2.00
5 to 6' (16" Ball)		3.10	2.75
hupehensis. Hupeh Cotoneaster—6'	. 3.30	5.10	2.15
3 to 4' (14" Ball)	2.25	2.00	1.75
4 to 5' (16" Ball)	3.00	2.75	2.50
integerrima. European Cotoneaster—4'	3.00	2.13	2.50
2 to 3' (13" Ball)	1.85	1.60	1.35
3 to 4' (14" Ball)	2.40	2.10	1.85
rogersiana	-, ', - Z. TU	2.10	1.00
Fine new spreading variety. Glossy foliage;			
masses of brilliant fruits.			
12 to 15" (10" Ball)	1.60	1.35	1.10
15 to 18" (11" Ball)		1.60	1.35
1½ to 2' (12" Ball)		2.00	1.75
2 to 2½' (14" Ball)	2.75	2.50	2.25
2½ to 3′ (16″ Ball)	3.50	3.10	
3 to 3½' (17" Ball)	4.25	3.85	3.50
	7.27	7.07	7.50
CRATAEGUS—See Ornamental Trees.			
DAPHNE—mezereum. February Daphne—4'	112 20		
15 to 18" (10" Ball)		1.35	
1½ to 2′ (12″ Ball)	2.10	1.85	
(7) 2 27 27 27	1 -	D 1 05	П.
		Each 25	
	0 \$0.4	2½ \$0.3	75

	(Plant Patent No. 315.)		5 Each	
	15"		\$0.42½ .85	\$0.37½ .75
	24"	1.50	1.25	1.15
24 to	30", B&B	2.50	2.25	1.90

New introduction from England. Very fragrant. Blush-pink star-shaped flowers in 6 to 8 inch spikes. Deep green foliage holding till March. Semi-upright growth.

DEUTZIA—gracilis. Slender Deutzia—3'	1 Each	5 Each	25 Each
12 to 15"		\$ 0.20	\$ 0.18
15 to 18"	_ %.35	.25	.22
1½ to 2′	45	.35	.30
lemoinei. Dwarf White-5'			
1½ to 2′	_ 40	.30	.25
2 to 2½'	.50	.40	
magnifica. Beautiful Double White-7'			
2 to 3'	35	.27	.22
3 to 4' rosea. Rose Panicle Deutzia—4'	45	.35	.27
rosea. Rose Panicle Deutzia-4'	. 40	20	05
1½ to 2′	40	.30	.25
scabra candidissima. Snowflake Deutzia—9'	.35	.27	.22
2 to 3' 3 to 4'		.35	.27
4 to 5'		.40	.35
scabra (crenata) rosea. Scallop-leaf Deutzia—7'		.10	.00
2 to 3'		.27	.22
3 to 4'		.35	.27
4 to 5'	50	.40	.35
scabra, Pride of Rochester. Double white, tinged			
pink—9'			
2 to 3'	35	.27	.22
3 to 4'		.35	.27
5 to 6'	70	.55	.45
DESMODIUM—penduliflorum. (See Lespedeza.)			
	, ~,		
DIERVILLA—sessilifolia. Southern Bush-honeysuck		.25	.20
$1\frac{1}{2}$ to $2'$.30	.25
3 to 4'		.40	.20
	00	*10	
ELAEAGNUS—angustifolia. Russian Olive—15'	0.5	07	00
2 to 3' 3 to 4'		.27	.22
		.35	.30
4 to 5' 5 to 6'		.45 .65	.40 .55
6 to 8'		.90	.75
umbellata. Autumn Elaeagnus—12'	_ 1.10	.50	.10
2 to 3'	45	.35	
3 to 4'		.45	.40
4 to 5'		.60	.50
5 to 6'		.85	.75
6 to 8'		1.25	1.00
8 to 10'	_ 2.00	1.75	1.50
ELSHOLTZIA—stauntoni			
2 years	55	.45	
•		. 10	
ENKIANTHUS—campanulatus. Redvein Enkianthus	15′	3.75	
1½ to 2' (11" Ball) 2 to 2½' (12" Ball)	_ 2.00	1.75	
2 to 2½ (12" Ball) 2½ to 3' (13" Ball)	_ 3.00	$\frac{2.25}{2.75}$	
campanulatus rubus.	_ 5.00	2.75	
campanulatus rubus. $1\frac{1}{2}$ to 2' (11" Ball)	2.00	1.75	
2 to 2½′ (12″ Ball)	_ 2.50	2.25	
2½ to 3′ (13″ Ball)	_ 3.00	2.75	
	_ 0.00	W110	

EUONYMUS—alatus. Winged Euonymus—8'		5 Each \$ 0.55	25 Each \$ 0.45
2 to 3' 3 to 4'		.70 1.40	.60
4 to 5' specimens		1.85	Ś
alatus compactus. New. Compact, dwarf—5'		1.00	~
12 to 18"	.50	.40	.35
$1\frac{1}{2}$ to $2'$.60	.50
2 to 2½′	_ 1.00	.85	.75
2½ to 3'	_ 1.50	1.25	1.00
3 to 4'	_ 1.85	1.60	1.35
americanus. Brook Euonymus—5'	٥٣	97	00
1½ to 2' 2 to 3'	35	.27 .35	.22
3 to 4'		.35	.40
atropurpureus. Wahoo—15'	00	.10	.10
2 to 3'		.30	.25
3 to 4'	50	.40	.35
4 to 5'	.75	.60	.50
bungeanus. Winterberry Euonymus-15'			
3 to 4'	.50	.40	.35
4 to 5'		.60	.50
5 to 6'	85	.70	.60
europaeus. Burning Bush—15'			
2 to 3'	35	.27	.22
3 to 4'		.35	.30
4 to 5' 5 to 6'		.55 .65	.45 .55
6 to 8'		.85	.75
8 to 10'	1.75	1.50	
10 to 12'	_ 2.50		
latifolius. Broadleaf Burning Bush—10' 2 to 3'	45	.35	.30
3 to 4', Specimens		.75	.65
4 to 5', Specimens		1.15	1.00
yedoensis. Yeddo Euonymus—10'			
3 to 4'	70	.55	.45
4 to 5'	_ 1.00	.80	.70
EXOCHORDA—racemosa (grandiflora). Pearl Bush-		40	
2 to 3'	50 75	.40 .60	.50
3 to 4' 4 to 5'	75	.70	.60
4 to 5	00		.00
FORSYTHIA—intermedia. Border Forsythia—7'			
3 to 4'	45	.35	.30
4 to 5'		.45	.40
5 to 6'	75	.60	.50
intermedia primulina. Primrose Forsythia8'		0.5	
2 to 3'		.30	.25
3 to 4'		.40 .55	.35 .45
4 to 5' 5 to 6'		.65	.55
U tU U	.00	.00	

FORSYTHIA—Continued	1 Each	5 Each	25 Each
intermedia spectabilis. Showy Border Forsythia	8'		
3 to 4'	\$ 0.45	\$ 0.35	\$ 0.30
4 to 5'	55	.45	.40
5 to 6'	75	.60	.50
suspensa. Weeping Forsythia—8'			
2 to 3'		.30	.25
3 to 4'	45	.35	.30
viridissima. Greenstem Forsythia—8'			
2 to 3'	40	.30	.25
3 to 4'		.40	.35
4 to 5'		.50	.45
HAMAMELIS—japonica. Japanese Witch Hazel—13	8′		
2 to 3'	75	.60	.50
3 to 4'		.80	.70
4 to 5'	1.25	1.10	1.00
virginiana. Witch Hazel-15'			
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'		.70	.60
5 to 6'	1.25	1.10	1.00
6 to 8'For EVERGREEN EUONYMUS see "Evergreen S		1.50	1.25
2 to 3' (Varieties ‡ only) 3 to 4' (Varieties ‡ only) 4 to 5' 5 to 6' 6 to 7' (Varieties * only) 5 to 6', Tree Shape (Varieties † only) †Anemonaeflorus. Double pink.	.40 .50 .70 .85	.27 .35 .40 .55 .70	.22 .27 .35 .45 .60
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †‡Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each.			
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †‡Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of \$2.000.	Snow—6'		
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †‡Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of Stanley.	Snow—6'	.30	
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †‡Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of Stanley.	Snow—6'	.30 .35	
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of Stanley. 2 to 3' paniculata grandiflora. Peegee—7'	Snow—6' .40 .45	.35	.25
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †\$Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of Single via the semi-purple of the semi-purple. 1½ to 2′ 2 to 3′ paniculata grandiflora. Peegee—7′ 1½ to 2′ 1½ to 2′	Snow—6'4045	.35	.30
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †‡Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of Single to 2' 2 to 3' paniculata grandiflora. Peegee—7' 1½ to 2' 2 to 3'	Snow—6' 40 45	.35 .30 .35	.30 .29 .30
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †‡Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of 11/2 to 2′ 2 to 3′ paniculata grandiflora. Peegee—7′ 11/2 to 2′ 2 to 3′ 3 to 4′	Snow—6' .40 .45	.35	.30 .29 .30
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †‡Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of Standard Stan	Snow—6' .40 .45 .45 .55	.35 .30 .35 .45	.30 .25 .30 .40
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †‡Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of Standard Stan	Snow—6' .40 .45 .45 .55	.35 .30 .35 .45	.30 .25 .30 .40
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. *Lucy. Semi-double, clear deep pink. †\$Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of Standard Stand	Snow—6' .40 .45 .45 .55	.35 .30 .35 .45	.30 .25 .30 .40 .25
†*Ardens. Double violet-purple. Banner. Double white; decided crimson stripes. †*Bicolor. Double white; streaked pink. ‡Coelestis. Single blue. Add 10c each. Sizes to 4 †Duchesse de Brabant. Double red. *Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white. **Lucy. Semi-double, clear deep pink. †\$Purpureus semi-plenus. Semi-double purple. †Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. ‡Variegatus. Variegated leaved. Add 10c each. HYDRANGEA—arborescens grandiflora. Hills of \$\frac{1}{2}\$ 2 to 3' paniculata grandiflora. Peegee—7' 1\frac{1}{2}\$ to 2' 2 to 3' 3 to 4'	Snow—6' .40 .45 .45 .55 .t—4' .40 .50	.35 .30 .35 .45	.30 .25 .30 .40

HYPERICUM—Continued frondosum (aureum). Golden St. Johnswort—4'	1 Each	5 Each	25 Each
110 dosum (aureum). Golden St. Johnswort—4 $2 \text{ to } 2\frac{1}{2}' =$	\$ 0.40	\$ 0.30	\$ 0.25
$2\frac{1}{2}$ to $3'$	45	.35	.30
3 to 4'	55	.45	.40
4 to 5'	75	.60	.50
kalmianum. Kalm Hypericum—4'	4.5	0.5	0.0
2 to 3'3 to 4'	45	.35 .50	.30 .45
lobocarpum. Golden—6'	.00	.50	.45
2 to 2½'	.40	.30	.25
2½ to 3′	.50	.40	.35
3 to 4'	.70	.55	.45
moserianum. Goldflower—1½'			
2 years		.25	.20
patulum henryi. Henry Hypericum-3'			
2 years	35	.25	.20
ILEX-montana. Mountain Winterberry-6'			
1½ to 2′	.65	.55	.50
2 to 3'		.85	.75
verticillata. Winterberry-6'			
1½ to 2'2 to 3'	.35	.27	.22
2 to 3'	.45	.35	.30
3 to 4'		.50 .65	.45 .55
4 to 5'	00	.00	.55
KOLKWITZIAamabilis. Beauty Bush-8'			
1½ to 2′	45	.35	.30
2 to 3'		.45	.40
3 to 4'		.60	.50
4 to 5' 5 to 6'		.80 1.25	.70 1.00
6 to 7'		2.00	1.75
0 10 1		2.00	1.10
LABURNUM			
anagyroides (vulgaris). Goldenchain—20'	F F0	r 00	4.50
6 to 8', Specimens (20" Ball) 8 to 10', Specimens (24" Ball)	5.50 8.25	5.00 8.00	4.50
		0.00	
vossi. Extra hardy—20' 3 to 4'	1.75	1.50	1.25
4 to 5'	2.25	2.00	1.75
LESPEDEZA bicolor. Shrub Bushclover—7'	1.75	00	75
6 to 7'	1.15	.90	.75
thunbergi (formosa) (Desmodium). Purple Bu	snciover- 25	.30	.25
4 years, heavy clumps	55	.45	.40
4 years, neavy cramps			
	- F 1	0.F. 1.0	TOT 1
LIGUSTRUM—amurense. Amur River Privet—12'	\$ 0.00	20 Each 2	\$0.05
12 to 18", 3 canes and up	0.00	071/6	$.06\frac{1}{2}$
2 to 3′ 4 canes and up	111	6 .10	.09
3 to 4', 5 canes and up	.22	.14	$.12\frac{1}{2}$
3 to 4', 5 canes and up 4 to 5', 5 canes and up	35	.25	.20
See page 61 for Balling (B&B) S	chedule		

LIGUSTRUM—Continued	5 Each 2	25 Each 2	250 Each
ibolium. Hardy California Privet—10'			
12 to 18"	_\$ 0.08	\$0.06	\$0.05
$1\frac{1}{2}$ to 2', 3 canes and up		$.07\frac{1}{2}$	$.06\frac{1}{2}$
2 to 3', 4 canes and up		$.09\frac{1}{2}$	$.08\frac{1}{2}$
3 to 4'	17	$.13\frac{1}{2}$	$.12\frac{1}{2}$
4 to 5'		.25	.20
5 to 6'	40	.30	.25
ibota. Chinese Privet—8'			
12 to 18"	_9, .11	.09	.08
1½ to 2′	.12	.10	.09
2 to 3'		.15	.14
3 to 4'	25	.20	.18
ibota erecta			
1½ to 2′	35	.25	.20
2 to 3'	.40	.30	.25
Cole's new upright growing strain. All the	е		
advantages of ibota's hardiness and color in	1		
an upright, compact type.			
obtusifolium (ibota) regelianum. Regel Privet-	6′		
12 to 18"	25	.20	
12 to 18"	30	.25	
2 to 2½′	40	.35	
2½ to 3′	50	.45	
3 to $3\frac{1}{2}$ 'ovalifolium. California Privet—10'	.60	.55	
ovalifolium. California Privet—10'			
12 to 18", 2 canes and up 1½ to 2', 3 canes and up	08	.06	.05
1½ to 2', 3 canes and up	$.08\frac{1}{2}$.07	.06
2 to 3', 4 canes and up	$.10\frac{1}{2}$.09	.08
3 to 4', 5 canes and up	.14	.12	.11
ovalifolium variegatum. Golden California Privet	5'		
12 to 18"		.25	.20
vulgare. English Privet—10' 2 to 3'			
2 to 3'	.30	.20	
vulgare nanum compactum. Lodense Privet—2½	,		
6 to 9"	20	.15	
9 to 12"	25	.18	
vulgare thompsoni, Thompson Privet—3'			
$1\frac{1}{2}$ to 2'	.18	.15	
2 to 3'	25	.20	
3 to 4'	30	.25	
LONICERA—Bush Honeysuckle			
	1 Each	5 Each	25 Each
3 to 4'		\$ 0.35	\$ 0.28
4 to 5'	55	.45	.40
5 to 6'	.75	.60	.50
6 to 8'	.90	.75	.65
bella atrorosea. Pink Belle Honeysuckle—8'			
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.28
4 to 5'	.55	.45	.40
5 to 6'	.75	.60	.50
6 to 8'	.90	.75	.65
tragrantissima. Winter Honeysuckle—8'			
2 to 3'		.30	.25
3 to 4'	50	.40	.35

LONICERA—Continued korolkowi floribunda. Broad Blueleaf Honeysuckle	l Each	5 Each	25 Each
1½ to 2'	-10	\$ 0.35	\$ 0.30
2 to 3'	.55	.45	.40
3 to 4'	.90	.75	.65
4 to 5'	1.00	.85	.75
maacki. Amur Honeysuckle—10'			
2 to 3'	.40	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.55	.45	.40
5 to 6'	.85	.70	.60
6 to 8'	1.00	.85	.75
morrowi. Morrow Honeysuckle-8'			
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.30
4 to 5'	.55	.45	.40
5 to 6'	.75	.60	.50
6 to 8'	.90	.75	.65
ruprechtiana. Manchurian Honeysuckle—10'	25	97	99
2 to 3'	.35 .45	.27	.22
3 to 4' 4 to 5'	.55	.35	.40
	.00	.40	.40
tatarica alba. White Tatarian Honeysuckle—10'	.35	.27	.22
3 to 4'	.45	.35	.28
4 to 5'	.55	.45	.40
5 to 6'	.80	.65	.55
6 to 8'	.90	.80	.70
tatarica grandiflora. Pink Bride Honeysuckle—10'			
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.28
4 to 5'	.55	.45	.40
5 to 6'	.75	.60	.50
tatarica sibirica. Red Tatarian Honeysuckle-10'			
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.28
4 to 5'	.55	.45	.40
zabeli. New Red—8'			
1½ to 2′	.40	.30	.25
2 to 3'	.50	.40	.35
3 to 4'	.60	.50	.45
MYRICA—pennsylvanica (carolinensis). Northern Ba	vberry.	5'	
15 to 18"	.55	.45	.40
1½ to 2′	.75		
DIM ADELDING C ' M I			
PHILADELPHUS. Syringa or Mockorange			
Avalanche. Prolific. Single—6' 2 to 3'	.40	.30	.25
3 to 4'	.50	.40	.35
4 to 5'	.70	.60	.50
5 to 6'	.85	.70	.60
Rouguet Blanc, Fragrant Double—8'			
1½ to 2′	.35	.27	.22
2 to 3'	.45	.35	.30
3 to 4'	.60	.50	

A GLORIOUS NEW SHRUB Cole's 1940 Introduction. Not Patented.

Cole's Glorious. Glorious Mockorange—8'

(Virginale X Rosace.) A Cole origination of great merit. Mammoth flowers of snowy white; large glossy rich green foliage of leathery texture densely set on the shrub. Strong upright neat growing compact shrub, profuse in bloom. A most prominent hybridist and horticulturist who has personally done a great deal of work on Mockorange proclaims Cole's Glorious to be the finest of all.

				5 Each	
2	to	3'	\$ 0.70	\$ 0.55	\$ 0.45
3	to	4'	 .80	.65	.55
4	to	5'	.95	.80	.70
5	to	6'	 1.25	1.00	

PHILADELPHI	US-C0	ntinued
coronarius.	Sweet	Scenter

coronarius. Sweet Scented Syringa—9'	1 Each	5 Each \$ 0.27	25 Each \$ 0.22
2 to 3' 3 to 4'			
		.35	.27
4 to 5'		.40 .50	
5 to 6'			
6 to 8'		.65	.55
coronarius aureus. Golden-leaved Mockorange-			
12 to 15"	.40	.30	.25
15 to 18"	.50	.40	.35
$1\frac{1}{2}$ to $2'$.55	.45
cymosus, Banniere. Early, semi-double pure wi	hite—8'		
3 to 4'	55	.45	.40
4 to 5'	.80	.65	.55
cymosus, Norma. Mammoth single flowers; f	fine		
foliage. Bushy and symmetrical—7'			
2 to 3'	45	.35	.30
3 to 4'	50	.40	.35
4 to 5'	70	.55	.45
5 to 6'		.70	.60
grandiflora. Big Scentless Mockorange—12'			
3 to 4'	.40	.30	.25
4 to 5'		.40	.35
5 to 6'		.50	.45
6 to 8'		.70	.60
lemoinei. Semi-dwarf—5'			
$1\frac{1}{2}$ to $2'$.40	.30	.25
2 to 3'	.50	.40	.40
		.40	
lemoinei, Girandole. New. Large white. Stroupright; excellent foliage—8'	ong		
	CO	50	4.5
3 to 4'	.60	.50	.45
virginal. Splendid double—8'			
1½ to 2′	.35	.27	.22
2 to 3'	45	.35	.30
3 to 4'	60	.50	.40
4 to 5'	80	.65	.55
5 to 6'		1.10	
6 to 7'	1.75	1.50	

PHOTINIA—villosa. Christmasberry—8' 2 to 3' villosa laevis. Smooth Christmasberry8'	1 Each _\$ 0.50	5 Each \$ 0.40	25 Each \$ 0.35
villosa laevis. Smooth Christmasberry8'			
4 to 5'	70	.60	.50
5 to 6'		.75	.65
6 to 8'	_ 1.10	.90	.80
PHYSOCARPUS—monogynus. Dwarf Ninebark—5'			
3 to 4'	50	.40	.35
4 to 5'	70	.55	.45
opulifolius. Ninebark10'			
3 to 4'	45	.35	.27
4 to 5'		.40	.35
5 to 6'		.55	.45
opulifolius luteus. Goldleaf Ninebark-10'			•
2 to 3'	35	.27	
3 to 4'	45	.35	.27
4 to 5'		.40	.35
5 to 6'		.55	.45
POTENTILLA—fruticosa. Shrubby Cinquefoil—4'		.00	• • • •
12 to 18"	40	.30	
	40	.50	
PRUNUS—(See Shade for other Prunus.)			
besseyi. Bessey Cherry—5' 1½ to 2'	0.00		
$1\frac{1}{2}$ to $2'$	35	.25	.20
2 to 3'		.30	.25
3 to 4'	45	.35	.30
besseyi. Hansen variety (Bush Cherry)-6'			
2 to 3'		.30	.25
3 to 4'		.40	.35
4 to 5'	60	.50	.45
gland. alba. Double-white-flowering Almond-5'	40	00	25
15 to 18"		.30	.25
$1\frac{1}{2}$ to $2'$.35	.30
2 to 3'	55	.45	.40
gland. rosea. Double-pink-flowering Almond—5'		0.5	0.0
1½ to 2′		.35	.30
2 to 3'		.45	.40
3 to 4'	70	.55	.50
maritima. Beach Plum—12'		45	40
2 to 3'	55	.45	.40
3 to 4'	75	.60	.50
pumila. Sand Cherry—5'	40	20	95
1½ to 2′		.30	.25
2 to 3'		.40	.35
3 to 4'	70	.55	.45
4 to 5'tomentosa. Nanking Cherry—10'	85	.70	.60
tomentosa. Nanking Cherry—10	75	.60	.50
4 to 5'	85	.75	.60
5 to 6'	00	.13	.00
triloba plena. Double pink-flowering Plum9'	.55	.45	.40
2 to 3'		.60	.50
3 to 4'		.70	.60
4 to 5'		.80	.70
5 to 6'		.00	0
PYRACANTHA—coccinea lalandi. Laland Firethorn		0.00	3.75
2 to 2½' (16" Ball)	_ 2.25	2.00	1.75 2.25
2½ to 3′ (18″ Ball)	_ 2.75	2.50	2.25

	1 Each	5 Each	25 Each
3 to 3½' (20" Ball)	\$ 3.75	\$ 3.35	\$ 3.00
3½ to 4′ (22″ Ball)	5.00	4.40	4.00
RHAMNUS—cathartica. Buckthorn—12'			
3 to 4'	.45	.35	.27
4 to 5'	.50	.40	.35
5 to 6'	.70	.55	.45
6 to 7'		.80	.70
davurica—Dahurian Buckthorn—12'			
3 to 4'	.45	.35	.30
4 to 5'	. 65	.50	.40
5 to 6'	.80	.65	.55
6 to 7'	.90	.75	.65
davurica chadwicki. Chadwick Buckthorn-10'			
A grand new sort with lovely shiny foliage.			
3 to 4'	.50	.40	.35
4 to 5'		.50	.45
frangula. Glossy Buckthorn—10'			
2 to 3'	.40	.30	.25
3 to 4'		.35	.30
4 to 5'		.40	.35
5 to 6'		.55	.45
6 to 7'		.75	.65
0 10 1	. ,50	.10	.00
RHODOTYPOS—scandens (kerrioides). Jetbead—6'			
2 to 3'	.40	.35	.30
3 to 4'	.55	.45	.40
4 to 5'	.75	.60	.50
DILLIC (1 ·) E . C			
RHUS—aromatica (canadensis). Fragrant Sumac—5'		20	05
1½ to 2′		.30	.25
2 to 3'		.35	.30
3 to 4'		.45	.50
4 to 5'	.75	.60	.50
copallina. Shining Sumac—12'			
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'	.90	.75	.65
glabra. Smooth Sumac—10'			
4 to 5'		.45	.40
5 to 6'	.75	.60	.50
6 to 8'	.90	.75	.65
typhina. Staghorn Sumac—15'			
3 to 4'	45	.35	
4 to 5'	.55	.45	
ROBINIA hispida. Rose-Acacia. Flowering Locust—1½ to 2'	40	20	05
2 to 3'		.30	.25
		.40	
3 to 4'	75	.60	
ROSA—See pages 49-52			
RUBUS—odoratus. Flowering Raspberry—6'			
3 to 4'	.55	.45	.40
T 1-1 C1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			

Truehedge Columnberry is America's finest hardy hedge plant. See inside front cover.

SALIX—discolor. Pussy Willow—18'	1 Each \$ 0.45	5 Each \$ 0.35	25 Each \$ 0.27
4 to 5'	.50	.40	.35
5 to 6'	75	.60	.50
6 to 8'	_ 1.00	.75	.70
elaeagnos (incana). Rosemary Willow-12'	4.0		
2 to 3'3 to 4'	40	.30	.25
4 to 5'	45 65	.35 .50	.30 .40
gracilistyla. Longstyle Willow12'	03	.50	.40
2 to 3'	65	.50	.40
3 to 4'		.70	.60
purpurea nana. Dwarf Purple Osier—4'			
New Blue-leaved Arctic Willow			
1½ to 2′	40	.30	.25
2 to 2½'		.35	.30
$2\frac{1}{2}$ to $3'$.50	.40
3 to 3½'	75	.60	.50
SAMBUCUS—canadensis. Common Elder—10'			
3 to 4'	.45	.35	.28
4 to 5'		.45	.40
5 to 6'	.85	.70	.60
canadensis acutiloba. Cutleaf Elder—8'			
3 to 4'		.35	.30
4 to 5'	.55	.45	.40
nigra aurea. Golden European Elder—10'	0.5	0.77	00
2 to 3'		.27	.22
3 to 4' 4 to 5'		.35 .45	.40
5 to 6'		.65	.55
6 to 8'		.85	.75
		•••	•••
SHEPHERDIA—argentea. Silver Buffaloberry—15'			
4 to 5'		.50	
5 to 6'	75	.60	
canadensis rubra. Red Fruited Buffaloberry—12'	1.00	.85	.75
6 to 8' 8 to 10'		1.00	.85
0 t0 t0 ===============================	. 1.20	1.00	.00
SORBARIA			
sorbifolia. Ural False-Spirea—5'	4.0		0.5
2 to 3'		.30	.25
3 to 4'	.45	.35	.30
SPIRAEA			
arguta. Garland Spirea—7'			
4 to 5'	.50	.40	.35
5 to 6'	.70	.55	.45
6 to 7'	1.15	1.00	.90
billiardi. Pink Flowering—5'	4.5	25	97
3 to 4'		.35 .40	.27 .35
4 to 5'bumalda, Anthony Waterer. Dwarf Pink-flowering		.40	.00
12 to 15"	.30	.22	.18
15 to 18"		.27	.22
1½ to 2′		.30	
1/2 00 2			

SPIRAEA—Continued			
bumalda froebeli. Dwarf pink—4'	1 Each	5 Each	25 Each
15 to 18"	_\$ 0.30	\$ 0.22	\$ 0.18
1½ to 2′		.27	.22
2 to 3'		.35	.27
3 to 4'		.40	.35
4 to 5'	70	.55	.45
douglasi. Rosy-red flowers-6'	0.00		
2 to 3'	35	.27	.22
3 to 4'	.45	.35	.28
japonica ovalifolia (Callosa alba). White			
Japanese Spirea—3' 12 to 18"	.35	.25	.20
12 to 16		.30	.25
2 to 3'		.40	.35
latifolia. Pink Meadow Spirea-6'			
2 to 3'	.40	.30	
A T I DIE E	1		
macrothyrsa. Improved Billiardi. A new brig flowering and with better foliage. 1	nter pini		Each
1½ to 2′\$		0.25	0.20
2 to 3'		.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.65	.50	.40
multiflora. Snowgarland—6'	1 Each	5 Each	25 Each
3 to 4'	\$ 0.45	\$ 0.35	\$ 0.27
4 to 5'	50	.40	.35
nipponica rotundifolia. Big Nippon Spirea—			
White, June. Beautiful foliage—9' 1½ to 2'	(25	.25	.20
2 to 3'	40	.25	.25
opulifolia—(See Physocarpus.)	TU	.50	٧٤.
prunifolia plena. Double Bridalwreath—8'			
1½ to 2'	.35	.25	.20
2 to 3'		.30	.25
3 to 4'	.50	.40	.35
4 to 5'	70	.55	.45
salicifolia. Willowleaf Spirea. White-5'			
2 to 3'	.40	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	55	.45	.40
thunbergi. Early single white flowering—5' 1½ to 2'	.30	.22	.18
2 to 3'	50	.30	.25
3 to 4'	55	.45	.40
4 to 5'	.85	.70	.60
tomentosa. Hardhack—4' 2 to 3'			
2 to 3'		.27	.22
3 to 4'	.45	.35	.28
trichocarpa. Korean Bridalwreath. New-5'			
1½ to 2'	.30	.22	.17
2 to 3'	35	.27	.22
3 to 4'	45	.35	.28
4 to 5'	55	.45	

SPIRAEA—Continued	1 Each	5 Each	25 Each
vanhouttei. Single white flowering—10'			
$1\frac{1}{2}$ to $2'$	\$ 0.25	\$ 0.18	\$ 0.15
2 to 3'	35	.25	.20
3 to 4'	. 40	.30	.25
4 to 5'	.50	.40	.35
STEPHANANDRA—incisa (flexuosa). Cutleaf Steph	anandr	α <u></u> 6'	
1½ to 2′	.35	.25	.18
2 to 3'		.30	.25
3 to 4'		.40	.35
SYMPHORICARPOS—			
albus (racemosus). Snowberry or Waxberry—6'			
$1\frac{1}{2}$ to $2'$	30	.22	.18
2 to 3'		.27	.22
3 to 4'	.45	.35	.27
	10	.00	.21
chenaulti. Improved Coralberry-5'			
$1\frac{1}{2}$ to 2' (\$120.00 per 1000)	.30	.22	.18
2 to 3' (\$150.00 per 1000)	35	.27	.22
3 to 4' (\$220.00 per 1000)	45	.35	.28
4 to 5'	.50	.40	.35
mollis. Spreading Snowberry—6'			
1½ to 2'	.30	.22	.18
2 to 3'		.27	.22
3 to 4'	.45	.35	.28
orbiculatus (vulgaris). Coralberry or Indian Curr	ant-4'		
$1\frac{1}{2}$ to 2'	.30	.22	.18
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.28
SYRINGA—Lilac			
amurensis (japonica). Japanese Tree Lilac—20'			
	F0	40	
2 to 3'		.40	
3 to 4'	.70	.55	
4 to 5'	.80	.65	
chinensis (rothomagensis). Red flowering-10'			
2 to 3'		.30	.25
3 to 4'	.50	.40	.35
4 to 5'		.60	.50
5 to 6'	.85	.70	.60
chinensis saugeana. Purple Chinese Lilac-10'			
2 to 3'	.40	.30	.25
3 to 4'		.40	.35
emodi. Himalayan Lilac—8'			
1½ to 2'	.45	.35	.30
2 1 2 2	40		
2 to 3'	.55	.45	.40
3 to 4'	.75	.60	.50
henryi lutece. Pale violet-purple—8'			
2 to 3'	.95	.80	.70
3 to 4'	1.15	1.00	.90
josikaea. Hungarian Lilac—10'			
1½ to 2'	.35	.30	.25
2 to 3'		.35	.30
3 to 4'		.45	.40
U T	00	or.	. 10

1 Each	5 Each	25 Each
\$ 0.85	\$ 0.70	\$ 0.60
1.25	1.10	1.00
1.75	1.50	1.25
1.60	1.35	
1.85	1.60	
.70	.55	.45
.85	.70	.60
1.10	.90	.80
1.50	1.30	1.15
2.00	1.75	1.60
1.05	.90	
40	30	.25
		.30
		.40
		.50
	•00	.00
15	25	.30
40		.40
		.75
. 1.00	1,20	
75	60	
1,20	1.00	
45	25	20
45		.30
		.50
1.00		
. 1.00	.03	
	1.25 1.75 1.60 1.85 1.85 1.10 1.50 2.00	1.25 1.10 1.75 1.50 1.60 1.35 1.85 1.60 1.35 1.60 1.50 1.10 90 1.50 1.30 1.75 1.05 1.05 1.05 1.05 1.05 1.05 1.05 1.0

*Belle de Nancy. Double satiny pink. Claude Bernard. Semi-double mauve.

Congo. Single red.

*Descartes. Single mauve-pink. Doyen Keteleer. Double. Violet.

Frau Bertha Damman. Single white. Dwarf.

*Gaudichaud. Deep lilac. Especially fine.

*Gloire de Lorraine. Heavenly blue. Double.

*hyacinthiflora Lamartine. Hyacinth-flowered Lilac.

Mammoth trusses of beautiful pale pink.

La Tour d'Auvergne. Double red.

Ludwig Spaeth. Single red.

*Marie Legraye. Single white.

*Michel Buchner. Double mauve.

*Mme. Abel Chatenay. Double white. *Mme. C. Perier. Double white.

*Mme. Lemoine. Single white.

*M. Van Aerschot. Single pale mauve. Large.

*President Grevy. Double blue.

	1 Each	5 Each	25 Each
2 to 3'	\$ 0.35	\$ 0.27	\$ 0.22
3 to 4'	45	.35	.27
4 to 5'	50	.40	.35
gallica. French Tamarix—Deep pink.			
Bluish green foliage. July—8'	45	25	077
3 to 4' 4 to 5'	45	.35	.27
5 to 6'	50	.40 .55	.33
pentandra (hispida aestivalis). Fivestamen Tama		.00	
2 to 3'	71 <i>x</i> —8	.27	.22
3 to 4'	.45	.35	.27
4 to 5'	.50	.40	.35
VACCINIUM (Hybrid). Improved Large Fruiting		*10	,00
Blueberry—2 to 4' 8 to 12"			
8 to 12"	75	.60	.50
12 to 18"	_ 1.20	1.00	.85
Cabot. Low spreading bush. Early.			
Jersey. Medium tall. Largest berries. Late.			
Rancocas. Tall, shapely. Midseason.			
Rubel. Tall, shapely. Late.			
VIBURNUM-acerifolium. Mapleleaf Viburnum-5'			
2 to 3'	.75	.60	.50
3 to 4'		.70	.60
4 to 5'		.85	
americanum—(See trilobum.)			
burkwoodi. Gardenia Viburnum—4'			
12 to 18" (10" Ball)	2.50	2.25	2.00
1½ to 2′ (11″ Ball)	2.75	2.50	2.25
2 to 3' (12" Ball)	3.30	3.00	
3 to 4' (13" Ball)	4.00	3.60	3.25
carlesi. Fragrant Viburnum—5'			
12 to 18" (10" Ball)	1.75	1.50	
1½ to 2′ (11″ Ball)	2.25	2.00	1.75
2 to 2½' (12" Ball)	2.50	2.25	2.00
2½ to 3′ (13″ Ball)		2.75	2.50
cassinoides. Witherod—6' 3 to 4'			= 0
3 to 4'	75	.60	.50
4 to 5'	90	.75	.65
dentatum. Arrowwood-12'	40	0.0	95
2 to 3'		.30	.25
3 to 4' 4 to 5'		.35 .55	.30 .45
5 to 6'		.70	.60
6 to 8'		.85	.75
dilatatum. Linden Viburnum—8'			
2 to 3'	55	.45	.40
3 to 4'	.80	.65	.55
4 to 5'	1.10	.95	.80
lantana. Wayfaring Tree-15'			
2 to 3'	.40	.30	.25
3 to 4'	50	.40	.35
4 to 5'		.60	.50

	-		
VIBURNUM-—Continued	1 Each	5 Each	25 Each
lentago. Sheepberry—20' 3 to 4'	@ O.55	\$ 0.45	\$ 0.40
4 to 5'		.60	.50
5 to 6'		.85	.70
6 to 8'		.95	.85
8 to 10'	1.35	1.15	1.00
molle. Kentucky Viburnum—10'			
2 to 3'		.30	.25
3 to 4'		.40	.35
4 to 5'		.55	.45
5 to 6'	.85	.70	.60
opulus. European Cranberrybush-10'	45	0.5	20
2 to 3' 3 to 4'		.35	.30 .40
4 to 5'		.60	.50
5 to 6'		.85	.70
6 to 8'		1.40	1.25
opulus nanum. Very dwarf—2'			
6 to 9"	.50	.40	.35
9 to 12"	70	.55	.45
12 to 15" 15 to 18"	.80	.65	.55
15 to 18"	1.00	.85	.75
$1\frac{1}{2}$ to $2'$	1.25	1.05	.90
opulus sterile. Common Snowball-12'			
2 to 3'	45	.35	.28
3 to 4' 4 to 5'	50 70	.40	.35 .45
	10	٠٠٠	.40
prunifolium. <i>Blackhaw</i> —12' 2 to 2½'	75	.60	.50
2½ to 3′		.70	.60
3 to 4'		.85	.75
4 to 5'	1.20	1.00	.85
pubescens. Downy Viburnum—6'			
1½ to 2′	50	.40	.35
2 to 3'	70	.55	.45
3 to 4'	.85	.70	.60
sieboldi. Siebold Viburnum—10'		0 #	
2 to 3'	45	.35	
3 to 4'tomentosum. Doublefile Viburnum—8'	65	.50	
2 to 3'	.45	.35	.30
3 to 4'	55	.45	.40
tomentosum rotundifolium. Roundleaf Double			*10
2 to 3'		.40	.35
3 to 4'	.70	.55	£
trilobum (americanum). American Cranberry	-bush—8'		
2 to 3'	45	.35	.30
3 to 4'		.45	.40
4 to 5'	75	.60	.50
5 to 6'	.90	.75	.65
VITEX			
agnuscastus latifolia (macrophylla). Big-leaf			0
2 years	40	.30	.25

WEIGELA—Abel Carriere. Beautiful rose color. 10' 1	Each	5 Each	25 Each
2 to 3'\$	0.35	\$ 0.27	\$ 0.22
3 to 4'	.45	.35	.28
4 to 5'	.55	.45	.40
candida. Snow Weigela—10'			***
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.30
4 to 5'	.55	.45	.40
Eva Rathke. Crimson flowering—5'			
1½ to 2′	.40	.30	.25
2 to 3'	.45	.35	.30
3 to 4'	.55	.45	.40
floribunda. Crimson Weigela—8'			
2 to 3'	.40	.30	
3 to 4'	.50	.40	.35
4 to 5'	.70	.55	.45
5 to 6'	.75	.60	
florida (rosea). Pink Weigela—8'			
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.28
4 to 5'	.50	.40	.35
5 to 6'	.75	.60	.50
florida (rosea) folius purpureis. Purple foliage—5	,		
1½ to 2′	.40	.30	.25
2 to 3'	.50	.40	.35
3 to 4'	.75	.55	
florida (rosea) nana variegata. Variegated-leaved Weigela—5'			
2 to 3'	.45	.35	.30
3 to 4'	.55	.45	.40
4 to 5'	.75	.60	.50
stelzneri. Stelzner Weigela—8'			
3 to 4'	.45	.35	.27
4 to 5'	.50	.40	.35
5 to 6'	.75	.60	.50
vaniceki. Vanicek's Red Weigela—6' Fine new variety. Strong and symmetrical,			
prolife and colorful	ch 5		Each
$1\frac{1}{2}$ to 2'\$ 0.			0.22
_ ** * * * * * * * * * * * * * * * * *	15	.35	.30
3 to 4'	55	.45	.40

1 Each 5 Each 25 Each XANTHORHIZA simplicissima (apiifolia). Yellowroot—2'
3-yr. clumps _______\$ 0.40 \$ 0.30 \$ 0.25

Evergreens

Prices include balling and burlapping roots.

ABIES—concolor. White Fir—50'	1 Each	5 Each	25 Each
2 to 3' (13" Ball)	\$ 2.25	\$ 2.00	\$ 1.75
3 to 4' (15" Ball)	3.50	3.10	2.75
4 to 5' (17" Ball)		5.00	
7 to 8' (24" Ball)		11.00	10.00
8 to 9' (26" Ball)		14.00	12.50
9 to 10' (29" Ball)		19.50	17.50
10 to 12' (31" Ball)	28.00	25.00	22.50
12 to 14' (36" Ball)		35.00	
14 to 16' (39" Ball)		45.00	
16 to 18' (42" Ball)	66.00	60.00	
18 to 20' (46" Ball)	82.50	75.00	
CHAMAECYPARIS. Retinospora.			
lawsoniana. Lawson Cypress-50'			
3 to 4' (16" Ball)	4.50	4.00	
4 to 5' (17" Ball)	5.50	5.00	
pisifera. Pea-Fruited Japan Cypress—Sawara Re		251	
2 to $2\frac{1}{2}$ ' (12" Ball)		1.75	1.50
2½ to 3′ (13″ Ball)	2.35	2.10	1.85
3 to 4' (15" Ball)	3.00	2.75	2.50
4 to 5' (16" Ball)		3.85	6.7
5 to 6' (17" Ball)	4.23 5.50	5.00	100
10 to 12' (30", Ball)	30.00	27.00	
12 to 14' (34" Ball)	41.00		
pisifera aurea. Golden Pea-Fruited Japan Cypre: Sizes and prices same as "pisifera."	ss25′		
pisifera filifera. Thread-Branched Japanese Cyp	ress—12'		
1½ to 2′ (12″ Ball)	2.00	1.75	
2 to 2½' (13" Ball)	2.75	2.50	
pisifera plumosa. Plume Cypress—20'			
1½ to 2' (11" Rall)	1.60	1.35	1.10
1½ to 2' (11" Ball) 2 to 2½' (12" Ball)	2.00	1.75	1.50
2½ to 3′ (13″ Ball)	2.25	2.00	1.75
3 to 3½' (15" Ball)	3 35	3.00	2.75
8 to 9' (25" Ball)	17.50		2.10
9 to 10' (27" Ball)	25.00		(1),
pisifera plumosa aurea. Goldenplume Cypress—Sizes and prices same as "plumosa" above.			
squarrosa veitchi. Moss Retinospora—30' 1½ to 2'\(\) (11" Ball)	7.60	1.0"	1 10
		1.35	1.10
2 to 2½′ (12″ Ball)	2.00	1.75	
JUNIPERUS-chinensis albovariegata. White-			
leaf Chinese Juniper—12'			
2½ to 3′ (14″ Ball)	3.35	3.00	
3 to 4' (15" Ball)	4.50	4.00	
4 to 5' (18" Ball)	6.00	5.50	5.00
7 to 8' (26" Ball)	25.00		
8 to 9' (30" Ball)	30.00	, i	

JUNIPERUS—Continued chinensis columnaris glauca. Silver Column	1 Each	5 Each	25 Each
Chinese Juniper—20' 2½ to 3' (13" Ball) 3 to 4' (15" Ball) 4 to 5' (17" Ball) 5 to 6' (18" Ball) 10 to 12' (27" Ball) 12 to 14' (30" Ball)	3.75 5.50 7.75 28.00	\$ 2.50 3.35 5.00 7.15 25.00 35.00	\$ 2.25 3.00 4.50 6.50 22.50
	_ 50.00	55.00	
chinensis mascula—10' 2 to 2½' (12" Ball) 2½ to 3' (14" Ball) 3 to 4' (15" Ball) 4 to 5' (16" Ball) 5 to 6' (17" Ball) 6 to 7' (18" Ball) 7 to 8' (20" Ball) 8 to 9' (22" Ball)	- 2.75 - 3.75 - 5.50 - 7.25 - 9.00 - 11.00	2.00 2.50 3.35 5.00 6.50 10.00 14.00	1.75 2.25 3.00
chinensis pfitzeriana. Pfitzer Juniper—6' 1½ to 2' spread (12" Ball) 2 to 2½' spread (13" Ball) 2½ to 3' spread (15" Ball)	2.75 3.40	1.90 2.50 3.00	1.75 2.25 2.75
3 to 3½' spread (17" Ball) 3½ to 4' spread (18" Ball)	- 4.00 - 5.50	3.60 4.75	3.25 4.25
chinensis pfitzeriana compacta—6' 2 to 2½' (13" Ball) 2½ to 3' (15" Ball)		2.50 3.00	2.25 2.75
chinensis sargenti. Sargent Juniper—2' 1½ to 2' spread (12" Ball) 2 to 2½' spread (13" Ball) 2½ to 3' spread (15" Ball)	_ 3.85	2.50 3.50 4.75	2.25 3.25
communis hibernica. Irish Juniper—8' 1½ to 2' (10" Ball) 2 to 2½' (11" Ball) 2½ to 3' (12" Ball) 3 to 4' (15" Ball)	1.65 2.00	1.10 1.40 1.75 2.25	.90 1.20 1.50 2.00
communis suecica. Swedish Juniper8' 1½ to 2' (10" Ball) 2 to 2½' (11" Ball) 2½ to 3' (13" Ball) 3 to 4' (17 Ball)	$\begin{array}{ccc} & 1.75 \\ & 2.00 \end{array}$	1.25 1.50 1.75 2.50	1.00 1.25 1.50
excelsa stricta. Spiny Greek Juniper—4' 2½ to 3' (13" Ball) 3 to 3½' (15" Ball)		2.75 3.85	2.50 3.50
horizontalis. Trailing Juniper—1½' 12 to 18" (11" Ball) 2 to 2½' spread (13" Ball) 2½ to 3' spread (15" Ball) 3 to 3½' spread (17" Ball)	2.50 3.25	1.25 2.25 3.00 3.85	1.00 2.00 2.75 3.50

JUNIPERUS—Continued	1 Each	5 Each	25 Each
horizontalis douglasi. Waukegan Juniper-2'			
12 to 18" spread (11" Ball)	\$ 1.50	\$ 1.25	\$ 1.00
11/2 to 2' spread (12" Ball)	2.00	1.75	1.50
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
2½ to 3' spread (15" Ball)	3.25	3.00	2.75
horizontalis plumosa. Purple Spreading Juniper-3	3′		
15 to 18" spread (11" Ball)	1.40	1.15	1.00
1½ to 2' spread (12" Ball)	1.70	1.50	1.35
2 to 2½' spread (13" Ball)	2.25	2.00	1.75
2½ to 3' spread (15" Ball)	3.00	2.65	2.35
3 to 3½' spread (17" Ball)	3.60	3.30	3.00
sabina. Savin Juniper—6'			
15 to 18" spread (11" Ball)	1.60	1.35	1.20
1½ to 2' spread (12" Ball)	2.00	1.75	1.50
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
2½ to 3' spread (15" Ball)	3.15	2.80	2.50
3 to 3½' spread (17" Ball)	4.00	3.60	3.25
sabina horizontalis. Bar Harbor Juniper-1'			
2½ to 3' spread (15" Ball)		3.00	2.75
3 to 3½' spread (17" Ball)	4.20	3.85	3.50
sabina tamariscifolia. Tamarix Juniper2'			
12 to 18" (11" Ball)	2.00	1.75	1.50
1½ to 2' (12" Ball)	2.50	2.25	2.00
scopulorum. Colorado Juniper—25'			
2 to 2½' (13" Ball)	2.00	1.75	1.50
2½ to 3′ (15″ Ball)		2.25	2.00
3 to 3½' (16" Ball)	3.60	3.30	3.00
scopulorum, Chandlers Silver. New, intense blue-			
2 to 2½' (12" Ball)	2.25	2.00	1.75
2½ to 3′ (13″ Ball)		2.50	2.25
3 to 3½′ (15″ Ball)		3.30	3.00
scopulorum pyramidalis glauca. Pyramidal Colorae		per—15'	
$2\frac{1}{2}$ to 3' (13" Ball)		2.75	2.50
3 to 4' (15" Ball)	4.00	3.60	3.25
4 to 5' (16" Ball)	5.50	5.00	
5 to 6' (17" Ball)	7.25	6.50	
squamata meyeri. Meyer Juniper-4'			
1½ to 2′ (12″ Ball)	2.50	2.25	2.00
2 to 2½' (13" Ball)	3.50	3.10	2.75
2½ to 3′ (15″ Ball)		3.75	÷
3 to 3½′ (17″ Ball)	5.50	5.00	
virginiana. Redcedar—25'	7.0#	7.40	
2 to 2½′ (12″ Ball)		1.60	1.35
2½ to 3′ (13″ Ball)	2.10	1.90	1.65
3 to 4' (15" Ball)		2.50	2.25
4 to 5' (16" Ball)		4.00	
7 to 8' (20" Ball) 8 to 9' (22" Ball)	10.00	9.00	
9 to 10' (24" Ball)	19.00	13.00	
10 to 12' (28" Ball)	29.00	16.00 25.00	
12 to 14' (30" Ball)	40.00		
To to 14 (00 Dail);	. 40.00		

Cole's evergreens are properly sheared, producing dense, symmetrical, colorful specimens.

	<u> </u>		
JUNIPERUS—Continued	1 Each	5 Each	25 Each
virginiana burki (venusta). Burk Redcedar—16'	* ~ ~ ~ **	* * * * * * * * * * * * * * * * * * * *	
2 to 2½′ (12″ Ball)	\$ 2.25	\$ 2.00	\$ 1.75
2½ to 3′ (13″ Ball)		2.75	2.50
3 to 3½′ (15″ Ball)	3.75	3.35	3.00
virginiana cannarti. Cannart Redcedar—15' 2½ to 3' (13" Ball)	2.75	2.50	
3 to 4' (15" Ball)	3.75	3.35	3.00
4 to 5' (17" Ball)	5.75	5.25	5.00
5 to 6' (18" Ball)		7.50	
virginiana elegantissima. Goldtip Redcedar—15'			
3 to 4' (15" Ball)	3.75	3.35	3.00
4 to 5' (16" Ball)		5.00	a r
5 to 6' (18" Ball)	7.75	7.00	E
6 to 7' (20" Ball)	10.00	, 00, 7	ή
virginiana glauca. <i>Silver Redcedar</i> —20' 2½ to 3' (13" Ball)	2 75	2.50	
3 to 4' (15" Ball)	3.90	3.50	
8 to 10' (24" Ball)		16.00	
10 to 12' (28" Ball)	29.00	26.00	
12 to 14' (30" Ball)	42.50		
virginiana keteleeri. Keteleer Redcedar-15'			
2 to 2½' (12" Ball)	2.25	2.00	1.75
2½ to 3′ (13″ Ball)	2.75	2.50	2.25
3 to 4' (15" Ball) 7 to 8' (20" Ball)	15.75	3.35 14.00	3.00
8 to 10' (24" Ball)	18.00	16.00	
10 to 12' (28" Ball)	29.00	26.00	
virginiana kosteri. Koster Redcedar-4'			
$1\frac{1}{2}$ to 2' spread (12" Ball)	2.25	2.00	1.75
2 to 2½' spread (13" Ball)	2.75	2.50	2.25
2½ to 3′ spread (16″ Ball)	3.50	3.10	2.75
3 to 3½' spread (17" Ball) 3½ to 4' spread (18" Ball)		3.70 5.00	3.35 4.50
4 to 4½' spread (20" Ball)		6.25	4.50
virginiana pyramidiformis. Dundee Juniper—18'	_ 0.00	0.20	,
2 to 2½' (13" Ball)	2.25	2.00	1.75
2½ to 3′ (14″ Ball)		2.50	2.25
3 to 4' (16" Ball)		3.60	3.25
virginiana schotti. Schott Redcedar—20'			
3 to 4' (15" Ball)	3.75	3.35	3.00
PICEA—canadensis albertiana. Black Hills Spruce—	50′		
2 to 3' (13" Ball)	2.75	2.50	2.25
5 to 6' (19" Ball)	_ 7.25	6.50	
6 to 7' (21" Ball)	_ 9.00	8.00	
7 to 8' (24" Ball)		11.00	7.00
8 to 10′ (28″ Ball)		17.00 27.50	16.00 26.00
10 to 12' (32" Ball)	_ 50.00	27.50	20.00
excelsa. Norway Spruce80' 1½ to 2' (12" Ball)	1.60	1.35	1.10
2 to 2½' (13" Ball)		1.60	1.40
(Rell circo ere only approxima		2,00	2.10
(Ball gizes are only approxima	101		

(Ball sizes are only approximate)

PICEA—Continued	1 Each	5 Each	25 Each
1/2 00 2 (10 2 11)	\$ 5.00	\$ 4.50	
excelsa pygmea. Pygmy Norway Spruce—8'	7.05		
2½ to 3′ (16″ Ball)	7.25 9.25		
3½ to 4′ (20″ Ball)	12.50		
4 to 5' (24" Ball)	20.00		
polita. Tigertail Spruce—70'			
2 to 2½′ (13″ Ball)		2.25	
2½ to 3′ (14″ Ball) 3 to 3½′ (15″ Ball)	3.00	2.75 3.65	
3½ to 4′ (17″ Ball)	5.50	5.00	
4 to 5' (19" Ball)		6.50	
5 to 6' (20" Ball)		8.50	·
pungens. Colorado Green Spruce—60'	10.00	0.00	
6 to 8' (24" Ball) 8 to 10' (29" Ball)	17.00	9.00 15.50	
10 to 12' (32" Ball)	26.50	24.00	
12 to 14' (36" Ball)	40.00	36.00	
14 to 16' (40" Ball)	50.00	45.00	
16 to 18' (46" Ball)		65.00	
pungens glauca. Colorado Blue Spruce—60'			
2 to 2½' (13" Ball)	3.00	2.75	2.50
2½ to 3′ (13″ Ball)	3.60	3.30	3.00
3 to 3½' (15" Ball)	4.85	4.40	4.00
7 to 8' (24" Ball)	14.00	12.50	16.00
8 to 9' (27" Ball) 9 to 10' (29" Ball)	20.00	18.00 24.00	16.00 22.00
10 to 12' (32" Ball)	36.50	33.00	30.00
12 to 14' (36" Ball)	49.00	44.00	40.00
14 to 16' (40" Ball)	60.00	55.00	10.00
16 to 18' (46" Ball)	80.00	75.00	
pungens glauca kosteri. Koster's Blue Spruce—			
3 to 3½' (15" Ball) 3½ to 4' (16" Ball)	6.50 8.00	7.25	
4 to 5' (17" Ball)	0.00	8.25	7.75
5 to 6' (19" Ball)	11.00	10.00	9.50
6 to 7' (21" Ball)	15.50	14.00	12.50
7 to 8' (24" Ball)	22.00	20.00	18.00
8 to 9' (26" Ball)	33.00	30.00	
9 to 10' (29" Ball)	41.50	37.50	
10 to 11' (31" Ball)	50.00	45.00	
11 to 12' (33" Ball) 12 to 13' (35" Ball)	60.00 75.00	55.00 70.00	
PINUS—cembra. Swiss Stone Pine—50'	10.00	10.00	
5 to 6' (19" Ball)	13.50		
6 to 7' (21" Ball)			
flexilis. Limber Pine—80'			
8 to 10' (28" Ball)	20.00	18.50	17.00
10 to 12' (32" Ball)	30.00	27.50	25.00
12 to 14' (36" Ball) 14 to 16' (40" Ball)		38.00	35.00
14 to 16' (40" Ball)	55.00	50.00	
16 to 18' (46" Ball)	88.00	80.00	

PINUS—Continued	1 Each	5 Each	25 Each
montana mughus. Dwarf Mountain Pine-3'			
12 to 15" spread (10" Ball)	\$ 1.75	\$ 1.50	\$ 1.25
15 to 18" spread (11" Ball)	2.25	2.00	1.75
1½ to 2' spread (12" Ball)	2.75	2.50	2.25
2 to 2½' spread (13" Ball)	3.60	3.30	3.00
PSEUDOTSUGA—taxifolia. Douglas Fir—70'			
3 to 4' (15" Ball)	3.00	2.75	2.50
4 to 5' (16" Ball)		3.85	3.50
6 to 7' (20" Ball)	7.75	7.00	
7 to 8' (23" Ball)		9.00	
8 to 10' (27" Ball)	15.50	14.00	12.50
10 to 12' (30" Ball)	25.00	22.00	20.00
12 to 14' (33" Ball)		27.50	
14 to 16' (36" Ball)	4 4 0 0	40.00	
16 to 18' (40" Ball)		55.00	
18 to 20' (44" Ball)	82.00	75.00	
, , , , , , , , , , , , , , , , , , , ,			

COLE'S EVERGREENS are dense and shapely, they are root pruned, and they are properly spaced to give light and air on all sides. We will be happy to have you visit us and inspect our plants.

TAXUS—canadensis. Canadian Yew—2'	1 Each	5 Each	25 Each
15 to 18" (11" Ball)	\$ 2.25	\$ 2.00	\$ 1.75
1½ to 2′ (12″ Ball)			
cuspidata. Japanese Yew-6'			
12 to 15" spread (10" Ball)			1.35
15 to 18" spread (11" Ball)			1.75
3 to 3½' spread (16" Ball)	7.25	6.50	
3½ to 4' spread (17" Ball)	9.00	8.00	
cuspidata capitata. Upright Japanese Yew-8'			
1½ to 2' (12" Ball)	2.50	2.25	2.00
-/2 \/		3.30	
2 to 2½′ (13″ Ball)		4.40	
2½ to 3′ (14″ Ball)	4.65		
5 to 5½' (19" Ball)	16.50		
cuspidata nana (brevifolia) — Dwarf Japanese Y	ew-4'		
9 to 12" (9" Ball)		1.55	1.30
12 to 15" (10" Ball)		2.00	1.75
15 to 18" (11" Ball)		2.50	2.25
2½ to 3' (16" Ball)		7.00	
media hatfieldi. Hatfield Yew—10'	0.15	7.00	7 65
12 to 15" (10" Ball)		1.90	1.65
15 to 18" (11" Ball)		2.25	2.00
1½ to 2′ (12″ Ball)	3.00	2.75	2.50
media hicksi, Hicks Yew—10'			
15 to 18" (10" Ball)	2.00	1.75	1.50
1½ to 2′ (11″ Ball)		2.25	2.00
		3.10	2.75
2 to 2½′ (12″ Ball) 2½ to 3′ (14″ Ball)		4.10	3.75
472 to 5 (14 Dail)	4.00	4.10	0.10

Customers are usually pleasantly surprised to find that their plants are stronger than they expected.

THUJA occidentalis. American Arbor-vitae—25' 1 Each 2 to 3' (12" Ball) \$ 1.75 3 to 4' (13" Ball) 2.50 4 to 5' (15" Ball) 3.00 5 to 6' (16" Ball) 4.80 6 to 8' (20" Ball) 7.25 8 to 10' (22" Ball) 11.00 10 to 12' (25" Ball) 17.00 12 to 14' (29" Ball) 26.50 14 to 16' (33" Ball) 38.00	5 Each \$ 1.50 2.25 2.75 4.40 6.60 10.00 15.50 24.00 35.00	25 Each \$ 1.25 2.00 2.50 4.00 6.00 9.00 14.00 22.00 32.00
occidentalis Columbia. Columbia Arbor-vitae—8'		
2 to 3' (12" Ball) 2.75 4 to 5' (16" Ball) 4.00	1.75 2.50 3.60	1.50 2.25 3.25
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1.50 2.00 2.50 3.50	1.25 1.75 2.25
occidentalis elegantissima. Goldtip Arbor-vitae—20'		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.50 2.00 2.50 11.00 16.50	1.25 1.75 2.25 10.00 15.00
occidentalis globosa. Globe Arbor-vitae-4'		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.90 1.25 1.50 2.00	.75 1.00 1.25 1.75
occidentalis hoveyi. Hovey Arbor-vitae-6'		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.25 1.50 1.90	1.00 1.25 1.65
occidentalis lutea. George Peabody Golden Arbor-vitae-	-12′	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.50 2.00 2.75 11.00 16.50	1.25 1.75
occidentalis nigra. Dark green dense American type—20) [']	
2 to 3' (11" Ball) 2.00 3 to 4' (12" Ball) 2.75 4 to 5' (14" Ball) 4.00 6 to 8' (21" Ball) 8.50 8 to 10' (24" Ball) 12.50	1.75 2.50 3.60 7.70 11.00	1.50 2.25 3.25 7.00 10.00

Cole's evergreens are properly sheared, producing dense, symmetrical, colorful specimens.

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis plicata. Moss Arbor-vitae-15'			
2 to 2½′ (11″ Ball)	\$ 1.85	\$ 1.60	\$ 1.35
2½ to 3′ (12″ Ball)	2.25	2.00	1.75
3 to 4' (13" Ball)	2.75	2.50	2.25
4 to 5' (15" Ball)		3.60	3.25
5 to 6' (17" Ball)	5.50	5.00	
6 to 8' (18" Ball)	7.75	7.00	
occidentalis pyramidalis. Pyramidal Arbor-vita	e25'		
1½ to 2' (10" Ball)	1.50	1.25	1.00
2 to 2½′ (11" Ball)	1.75	1.50	1.25
2½ to 3′ (12″ Ball)	2.10	1.85	1.65
3 to 4' (13" Ball)	2.75	2.50	2.25
4 to 5' (15" Ball)	3.50	3.10	2.75
occidentalis umbraculifera. Umbrella Arbor-vit			
15 to 18" (11" Ball)	1.65	1.40	1.15
1½ to 2' (12" Ball)	2.00	1.75	1.15
2 to 2½′ (13″ Ball)		2.00	
2½ to 3′ (15″ Ball)		2.75	1.75 2.50
3 to 3½' (16" Ball)			
		3.85	3.50
occidentalis vervaeneana. Vervaene Arbor-vitae			
2 to 2½' (12" Ball)		1.60	1.35
2½ to 3′ (13″ Ball)	2.50	2.00	1.75
3 to 4' (15" Ball)		2.50	
8 to 10' (24" Ball)	12.50	11.00	10.00
10 to 12' (28" Ball)	18.00	16.50	15.00
occidentalis wareana. Ware or Siberian Arbor-	vitae 12'		
1½ to 2' (11" Ball)		1.35	1.10
2 to 2½' (12" Ball)		1.75	1.50
2½ to 3′ (14″ Ball)	2.50	2.25	2.00
3 to 3½′ (15" Ball)	3.00	2.75	2.50
		2.10	2.00
occidentalis woodwardi. Woodward Globe Arbo			
12 to 15". (10" Ball)		.90	.75
15 to 18" (11" Ball)		1.25	1.00
1½ to 2° (12" Ball)	1.90	1.65	1.40
orientalis. Oriental Arbor-vitae-20'			
2 to 2½' (11" Ball)	1.50	1.25	1.00
2½ to 3′ (12″ Ball)		1.65	1.40
3 to 4' (14" Ball)	2.25	2.00	1.75
4 to 5' (15" Ball)	3.00	2.75	2.50
,			
orientalis aurea. Golden Oriental Arbor-vitae,		e8 1.50	1.25
2 to 2½′ (11″ Ball)			
2½ to 3′ (12″ Ball)		2.00	1.75
5 to 6' (16" Ball)		5.50	
6 to 7' (18" Ball)		7.50	
7 to 8' (20" Ball)	10.00		

ROSES

We add a number of thoroughly tested Roses to our collection each

year and eliminate a few of the least worth-while.

We endeavor to always have a very high class collection to meet all needs. (See pages 49 to 52.)

TSUGA—canadensis. <i>Hemlock Spruce</i> —75' 2 to 2½' (12" Ball)	1 Each	5 Each \$ 2.00	25 Each \$ 1.75
2½ to 3′ (13″ Ball)	2.25	2.50	2.25
3 to 3½' (14" Ball)	3.25	3.00	2.75
3½ to 4′ (15″ Ball)	3,23 4.95	3.85	3.50
5½ 10 4 (15 Dall)	4.20 5.00	4.50	4.00
4 to 4½′ (16″ Ball)	5,00	5.00	4.50
4½ to 5′ (17″ Ball)	3.30 6 E O	6.00	5.50
5 to 6' (18" Ball)	0.50	7.75	7.00
6 to 7' (20" Ball)			
7 to 8' (23" Ball)		10.00	
8 to 9' (25" Ball)		13,00	
9 to 10′ (28″ Ball)		17.00	
10 to 11' (30" Ball)		22.50	
11 to 12' (32" Ball)		30.00	
12 to 14' (35" Ball)		40.00	
14 to 16' (40" Ball)caroliniana. Carolina Hemlock—50'	_ 65.00	55.00	
caroliniana. Carolina $Hemlock$ —50	250	2.25	2.00
2 to 2½′ (13″ Ball)	2.50		2.00
2½ to 3′ (14″ Ball)	3.25	3.00	2.50
3 to 3½' (15" Ball)	4.25	3.85	3.50
3½ to 4′ (16″ Ball)	_ 5.00	4.50	4.00
4 to 5' (17" Ball)	0.00	5.50	5.00
5 to 6' (19" Ball)	8.25	7.50	
6 to 7' (21" Ball)	_ 12.50	11.00	
7 to 8' (24" Ball)		15.00	
8 to 9' (26" Ball)	_ 22.00	20.00	
9 to 10' (29" Ball)	_ 30.00	27.50	
10 to 11' (32" Ball)	_ 39.00	35.00	
sieboldi. Siebold Hemlock—35'	2.00	0.75	0.50
$1\frac{1}{2}$ to $2'$		2.75	2.50
2 to 2½'	3.75	3.35	3.00
$2\frac{1}{2}$ to 3'	_ 4.50	4.10	
F CI			
Evergreen Shru			
		5 Each	25 Each
		5 Each	25 Each
		5 Each \$ 1.50	25 Each \$ 1.25
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball)		5 Each \$ 1.50	25 Each \$ 1.25
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18"	1 Each . \$ 1.75		
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball)	1 Each . \$ 1.75	.65	25 Each \$ 1.25
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo"	1 Each . \$ 1.75	.65	
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3'	1 Each . \$ 1.7580 ous Shrul	.65	
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15"	1 Each . \$ 1.75	.65	
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Decidud fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18"	1 Each . \$ 1.75	.65 os."	.55
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2'	1 Each . \$ 1.75	.65 os."	.55
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2'	1 Each . \$ 1.75	.65 os." .30 .35	.55 .25 .30
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2' 2 to 2½' fortunei coloratus. Red-leaved Wintercreeper—4'	1 Each . \$ 1.75 	.65 .30 .35 .50	.55 .25 .30 .40
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2' 2 to 2½' fortunei coloratus. Red-leaved Wintercreeper—4' 15 to 18"	1 Each . \$ 1.75 	.65 os." .30	.55 .25 .30 .40 .55
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2' 2 to 2½' fortunei coloratus. Red-leaved Wintercreeper—4' 15 to 18" 1½ to 2'	1 Each . \$ 1.75 80 40 45 65 80 50	.65 .30 .35 .50 .65	.55 .25 .30 .40
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2' 2 to 2½' fortunei coloratus. Red-leaved Wintercreeper—4' 15 to 18" 1½ to 2' 2 to 2½' 2 to 2½'	1 Each . \$ 1.75 80 40 45 65 80 50	.65 os." .30	.55 .25 .30 .40 .55
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2' 2 to 2½' fortunei coloratus. Red-leaved Wintercreeper—4' 15 to 18" 1½ to 2'	1 Each . \$ 1.75 80 40 45 65 80 40 50	.65 .30 .35 .50 .65	.55 .25 .30 .40 .55
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2' 2 to 2½' fortunei coloratus. Red-leaved Wintercreeper—4' 15 to 18" 1½ to 2' 2 to 2½' 2 to 2½'	1 Each . \$ 1.7580 .us Shrul40456580405070	.65 .30 .35 .50 .65	.55 .25 .30 .40 .55
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12" 1½ to 2' spread (12" Ball) DAPHNE—cneorum. Garland Flower—18" 6 to 9" (7" Ball) EUONYMUS—For other EUONYMUS see "Deciduo fortunei carrierei. Glossy Wintercreeper—3' 12 to 15" 15 to 18" 1½ to 2' 2 to 2½' fortunei coloratus. Red-leaved Wintercreeper—4' 15 to 18" 1½ to 2' 2 to 2½' fortunei radicans. Wintercreeper—Trailing—2'	1 Each . \$ 1.75	.65 os." .30 .35 .50 .65 .30 .40 .55	.55 .25 .30 .40 .55 .25 .35

put to the second secon			
	1 Each	5 Each	25 Each
fortunei radicans acutus. Sharpleaf Wintercreeper		* • • • • •	
12 to 15" 15 to 18"	\$ 0.35	\$ 0.25	\$ 0.20
15 to 18''	.40 .50	.30	.25
fortunei radicans erecta. Upright Wintercreeper—3	.50	.40	.35
10rtuner radicans erecta. O prignt w intercreeper—3	.35	.25	.20
12 to 15"	.45	.25	.30
15 to 18" 1½ to 2'	ે.65	.50	.40
$\frac{1}{2}$ to $\frac{2^{1}}{2'}$.80	.65	.55
fortunei vegetus. Bigleaf Wintercreeper—4'	.00	.00	.00
9 to 12"	.45	.35	.30
12 to 15"		.45	.30
15 to 18"	.70	.60	.50
15 to 18"	.90	.75	.65
Topworked on 3' stems. 2-year heads	1.75	1.50	1.25
kiautschovicus patens. Spreading Euonymus—6'	1.10	1.50	1.20
15 to 18"	.55	.45	.40
1½ to 2′	.65	.55	.50
2 to 2½'	1.00	.85	.75
2½ to 3′	1.50	1.25	1.00
GAULTHERIA—procumbens. Wintergreen or Checker-		1.20	1.00
		.14	.12
berry. Clumps	.± 4	.14	.12
ILEX—crenata. Japanese Holly—8'			
3 to 4' specimen (16" Ball)	7.70	7.00	ž
4 to 5' specimen (18" Ball)	11.00	10.00	
crenata convexa (bullata). Box-leaved Japanese			
Holly—4'			
15 to 18" (11" Ball)	2.35	2.00	
2 to 2½' (14" Ball)	4.50	4.00	
crenata latifolia. Bigleaf Japanese Holly			
2½ to 3′ (15″ Ball) 3 to 3½′ (16″ Ball)	4.00	3.65	
3 to 3½′ (16" Ball)	4.85	4.40	
3½ to 4′ (17″ Ball)	6.75	6.00	
4 to 5' (18" Ball)	8.25	7.50	
crenata microphylla. Littleleaf Japanese Holly—5'			
(Hardier than the type.) 9 to 12" (9" Ball)			
9 to 12" (9" Ball)	1.25	1.05	.90
crenata rotundifolia. Roundleaf Japanese Holly—8	3′		
(Hardier than the type.) 12 to 15" (10" Ball)			
12 to 15" (10" Ball)	1.25	1.05	.90
glabra. Inkberry-5'			
12 to 15" (10" Ball)	1.75	1.50	1.25
15 to 18" (11" Ball)	2.00	1.75	1.50
1½ to 2′ (12″ Ball)	2.50	2.25	2.00
2 to 2½' (13" Ball)		3.00	2.75
2½ to 3′ (15″ Ball)	4.25	3.85	3.50
LEUCOTHOE—Catesbaei. Drooping Leucothoe—6'			
15 to 18" (11" Ball)	1.75	1.50	1.25
1½ to 2' (12" Ball)		1.85	1.60
2 to 2½′ (13″ Ball)		2.50	
	2.10	2.00	
MAHONIA—aquifolium. Oregon Hollygrape—5'			
12 to 15" (10" Ball)	1.10	.90	.75
15 to 18" (11" Ball)	1.50	1.25	1.00
1½ to 2' (12" Ball)	2.00	1.75	1.50

PACHYSANDRA—terminalis. Japanese Spurge— Evergreen ground cover—10"	1 Each	5 Each	25 Each
2 years	\$ 0.17	\$ 0.14	\$ 0.12
PIERIS—floribunda. (Andromeda floribunda).			
Mountain Andromeda—3'			
1½ to 2' (12" Ball)	3.10	2.75	
2 to 2½' (13" Ball)	_ 3.60	3.25	
japonica. Japanese Andromeda—4'	0.55	0.50	
1½ to 2′ (12″ Ball)	2.75	2.50	
2 to 2½' (13" Ball)		3.00	
RHODODENDRON carolinianum. Carolina Rhodode	ndron(
12 to 18" (11" Ball)	2.25	2.00	
1½ to 2′ (12″ Ball)	2.75	2.50	
2 to 2½′ (13" Ball) 2½ to 3′ (14" Ball)	3.35	3.00	
2½ to 3 (14" Ball)	_ 4.00	3.60	
catawbiense. Lavender-Pink—6'	2.00	1.75	1.50
catawbiense. Lavender-Pink—6' 12 to 18" (11" Ball) 1½ to 2' (12" Ball)	2.00	2.25	2.00
1½ to 2' (12" Ball) 2 to 3' (13" Ball)	3.25	2.85	2.60
3 to 4' (15" Rall)	4. 25	3.85	3.50
maximum. Rosebay Rhododendron—8' 12 to 18" (11" Ball)		0,00	0.00
12 to 18" (11" Ball)	1.75	1.50	1.25
$1\frac{1}{2}$ to 2' (12" Ball)	2.10	1.85	1.60
2 to 3' (13" Ball)	2.60	2.35	2.10
2 + 4/ (15// D-11)	9 75	3.35	3.00
3 to 4' (15" Ball) Cole's evergreens are frequently transplanted or refor success.			
Cole's evergreens are frequently transplanted or re-			
Cole's evergreens are frequently transplanted or refor success. Vines	ot prun	ed—a nee	cessity 25 Each
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years	ot prund 1 Each -\$ 0.40	5 Each \$ 0.30	25 Each \$ 0.25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years	ot prund 1 Each -\$ 0.40	ed—a nee	25 Each \$ 0.25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fivelegt Akebia	1 Each \$ 0.40 45	5 Each \$ 0.30 .35	25 Each \$ 0.25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years	1 Each \$ 0.40 45	5 Each \$ 0.30	25 Each \$ 0.25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years	1 Each \$ 0.40 45	5 Each \$ 0.30 .35	25 Each \$ 0.25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper	1 Each \$ 0.40 . 45	5 Each \$ 0.30 .35	25 Each \$ 0.25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper	1 Each \$ 0.40 . 45	5 Each \$ 0.30 .35	25 Each \$ 0.25 .30
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years	1 Each \$ 0.40 .45	5 Each \$ 0.30 .35	25 Each \$ 0.25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000)	1 Each \$ 0.40 .45	5 Each \$ 0.30 .35	25 Each \$ 0.25 .30
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) EELASTRUS—orbiculatus. Oriental Bittersweet	1 Each \$ 0.40 .45 .45	5 Each \$ 0.30 .35 .35	25 Each \$ 0.25 .30
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) CELASTRUS—orbiculatus. Oriental Bittersweet 2 years (\$180.00 per 1000)	1 Each \$ 0.40 .45 .45 .45	5 Each \$ 0.30 .35 .35	25 Each \$ 0.25 .30
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) CELASTRUS—orbiculatus. Oriental Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000)	1 Each \$ 0.40 .45 .45 .45	5 Each \$ 0.30 .35 .35	25 Each \$ 0.25 .30
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) EELASTRUS—orbiculatus. Oriental Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000)	1 Each \$ 0.40 .45 .45 .30 .40	5 Each \$ 0.30 .35 .35	25 Each \$ 0.25 .30 .16 .25 .20 .25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) EELASTRUS—orbiculatus. Oriental Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000)	1 Each \$ 0.40 .45 .45 .30 .40	5 Each \$ 0.30 .35 .35	25 Each \$ 0.25 .30 .16 .25 .20 .25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) CELASTRUS—orbiculatus. Oriental Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) 3 years (\$220.00 per 1000)	1 Each \$ 0.40 .45 .45 .30 .40	5 Each \$ 0.30 .35 .35 .20 .30	25 Each \$ 0.25 .30 .16 .25 .20 .25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) 5 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) 3 years (\$220.00 per 1000) CLEMATIS—paniculata. Sweet Autumn Clematis	1 Each \$ 0.40 .45 .45 .40 .35 .40	5 Each \$ 0.30 .35 .35 .20 .30 .25 .30	25 Each \$ 0.25 .30 .16 .25 .20 .25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) 5 years (\$150.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) 3 years (\$220.00 per 1000) 3 years (\$20.00 per 1000) CLEMATIS—paniculata. Sweet Autumn Clematis	1 Each \$ 0.40 .45 .45 .40 .35 .40	5 Each \$ 0.30 .35 .35 .20 .30	25 Each \$ 0.25 .30 .16 .25 .20 .25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) CLEMATIS—paniculata. Sweet Autumn Clematis 2 years hybrid, Crimson King, New mammoth vinous red	1 Each \$ 0.40 .45 .45 .30 .40 .35 .40 .35 .40	5 Each \$ 0.30 .35 .35 .20 .30 .25 .30	25 Each \$ 0.25 .30 .16 .25 .20 .25 .20 .25 .20
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) 3 years (\$150.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) 3 years (\$220.00 per 1000) CLEMATIS—paniculata. Sweet Autumn Clematis 2 years hybrid, Crimson King. New mammoth vinous red June to September hybrid, Mme. Edouard Andre. Single bright red	1 Each \$ 0.40 .45 .45 .45 .40 .35 .40 .40 .40 .40	5 Each \$ 0.30 .35 .35 .30 .25 .30 .30	25 Each \$ 0.25 .30 .16 .25 .20 .25 .20 .25 .25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) CLEMATIS—paniculata. Sweet Autumn Clematis 2 years hybrid, Crimson King. New mammoth vinous red June to September hybrid, Mme. Edouard Andre. Single bright red hybrid jackmani. Single purple	1 Each \$ 0.40 .45 .45 .40 .35 .40 .40 .40 .40	5 Each \$ 0.30 .35 .35 .20 .30 .25 .30	25 Each \$ 0.25 .30 .16 .25 .20 .25 .20 .25
Cole's evergreens are frequently transplanted or refor success. Vines ACTINIDIA—arguta. Bower Actinidia 2 years 3 years AKEBIA—quinata. Fiveleaf Akebia 4 years AMPELOPSIS—(See Parthenocissus) CAMPSIS radicans. Trumpetcreeper 2 years (\$120.00 per 1000) 4 years (\$150.00 per 1000) CELASTRUS—orbiculatus. Oriental Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) scandens. American Bittersweet 2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000) CLEMATIS—paniculata. Sweet Autumn Clematis 2 years hybrid, Crimson King. New mammoth vinous red June to September	1 Each \$ 0.40 .45 .45 .40 .35 .40 .40	5 Each \$ 0.30 .35 .35 .30 .25 .30 .30 .65 .45	25 Each \$ 0.25 .30 .16 .25 .20 .25 .25 .25 .40

	1 E 1	5 17 3	05.17. 1
LONICERAjaponica aureoreticulata. Yellow Net	1 Each	5 Each	25 Each
	\$ 0.45	\$ 0.35	\$ 0.30
japonica halliana. Hall Japanese Honeysuckle		*	4 0.00
2 years, medium (\$80.00 per 1000)	15	.12	.10
2 years (\$100.00 per 1000)	18	.14	.12
3 years	35	.25	.20
heckrotti. Everblooming Honeysuckle			
2 years	40	.30	.25
C-140 H			
Goldflame Honeysuckle. (Trade Mark). Flam			
coral trumpets lined with gold. Blooms abu	ın-		
2 years (25c each in 250 lots)	55	.45	.40
, 2 years (25c each in 250 lots)	55	.45	.40
tellmanniana. Tellman Honeysuckle			
2 years	55	.45	.40
LYCIUM—chinense. Chinese Matrimonyvine			
2 years	35	.27	.22
PARTHENOCISSUS (Ampelopsis)—heterophylla.	Porcelain	Amnelon	rie
2 years		.30	.25
het. amurensis maximowiczi, 2 years	40	.30	.25
quinquefolia. Virginia Creeper	10	.00	,40
2 years	30	.20	.16
tricuspidata (veitchi). Boston Ivy	00		****
2 years, medium	35	.25	.20
2 years	40	.30	.25
3 years	45	.35	.30
tricuspidata lowi. Geranium Ivy			
Pot Plants	55	.45	.40
POLYGONUM—auberti. China Fleecevine			
2 years	35	.30	.25
· · · · · · · · · · · · · · · · · · ·	00	.00	:20
VINCA—minor. Periwinkle or Myrtle	15	.10	.07
Strong plantsrubra flpl.—CASCADE OF RUBIES	13	.10	.07
(\$200.00 per 1000)	35	.25	$.22\frac{1}{2}$
	00	.20	.4472
VITIS—rotundifolia. Muscadine Grape	F0	40	25
4 years	50	.40	.35
vulpina (cordifolia). Frost or Winter Grape	50	40	25
4 years		.40	.35
WISTARIA—floribunda rosea. Rosy Weeping Wistan			
2 years	.90	.75	.65
frutescens magnifica. Yelloweye Wistaria—Blue	0.5	25	20
2 years	35	.25	.20
sinensis. Chinese Purple Wistaria	45	.35	.30
2 years (From cuttings)	45	.ss .85	.75
4 years (Grafted)sinensis alba. Chinese White Wistaria	1.00	.03	.13
4 years (Grafted)	1.00	.85	.75
, , ,			
Climbing and Ramble	er R	2505	
Cillioning and Italiion		5503	05 E 1
Climbing American Passates Laura mint	1 Each	5 Each	25 Each
Climbing American Beauty. Large, pink Doctor W. Van Fleet. Double, flesh-pink	\$ U.33	\$ 0.45 \(\frac{1}{2}\)	
Bootof w. van Fleet. Double, flesh-pink	00	.40	

CLIMBING AND RAMBLER ROSES—Continued 1 Each	5 Each	25 Each
Paul's Scarlet Climber\$ 0.50	\$ 0.40	
Prosperity. "Everblooming." White flushed pink55	.45	.40
Reveil Dijonnais. Light yellow edged carmine, crimson and scarlet	v- w w	
PATENTED RAMBLER ROSES		
1 Each	10 Each	20 Each
BLAZE. New Everblooming Pauls Scarlet. Plant Patent No. 10. (Retails \$1.25 each; \$12.50 per dozen)\$ 0.85	\$ 0.70	
DOUBLOONS. Plant Patent No. 152. (Retails \$1.25 each; \$12.50 per dozen). Double cupped, rich gold : .85		
THE NEW DAWN. Plant Patent No. 1. (Retails \$1.50 each; \$15.00 per dozen). New Everblooming Dr. W. Van Fleet	.90	
HYBRID RUGOSA LEach	5 Each	25 Each
Grootendorst Supreme. (New.) Crimson\$ 0.55	\$ 0.45	
Rosa Rugosa. See Rose Species.		

Rose Species

ROSA—blanda. <i>Meadow Rose—4</i> ′ 2 to 3′ 3 to 4′	\$ (Each 0.45 .55	 0.35	25 Each \$ 0.30 .40)
multiflora japonica. Japanese Rose. Single, rose	-				
pink—8' 3 to 4'	_	.45	.35	.30	,
4 to 5'	-	.55	.45	.40	
rugosa. Rugosa Rose-5'					
$1\frac{1}{2}$ to $2'$	_	.40	.30	.25	
2 to 3'		.50	.40	.35	
setigera. Prairie Rose. Deep pink-6'					
2 to 3'	-	.35	.27	.22	
wichuraiana. Memorial Rose. Trailing					
2 years, No. 1		.45	.35	.30	

Rose—Hybrid Tea

Prices are for strong, 2-year, No. 1 grade. 2-year, No. 1½ medium grade deduct 25%. Patented varieties in No. 1 grade only.

		1 Eac	h 5 Each	25 Each
Betty Upri	ichard, Salmon-pink	\$ 0.6	0 \$ 0.50	\$ 0.45

ROSE, Hybrid Tea—Continued	1 Each	5 Each	25 Each
Condesa de Sastago. Copper and yellow	\$ 0.60	\$ 0.50	\$ 0.45
Director Rubio. Rose-pink; large	.60	.50	.45
Duquesa de Penaranda. Rich coppery apricot. Autumn			
flowers beautiful cinnamon-peach	.60	.50	.45
Etoile de Hollande. Good red	.60	.50	.45
Golden Sastago. Clear buttercup-yellow. Deliciously			
fragrant	.60	.50	.45
Joanna Hill. Indian-yellow center, surrounded by bold			
cream petals	.60	.50	Ş
Leonard Barron. Large salmon-buff and shell-pink	.60	.50	
Mme. Joseph Perraud. Buff, flushed shell-pink	.60	.50	.45
Mme. Jules Bouche. Fragrant white, peach center	.60	.50	
Mrs. E. P. Thom. Deep golden yellow	.60	.50	.45
Soeur Therese. Chrome-yellow	.60	.50	

NORTHERN GROWN ROSES

Our trade recognizes the uniform quality, hardiness, and "trueness to name" of Cole's Painesville Grown Roses. We have guarded this reputation zealously and have gone to no end of labor to see that we had an ample crop for our regular customers in the face, many times, of adverse economic, trade, and weather conditions.

We hope you will bear in mind the conditions herein mentioned when selecting your source of supply.

PATENTED HYBRID TEA ROSES
COUNTESS VANDAL Plant Patent No. 38 1 Fach 10 Fach 20 Fach

COCTATED VILLOTIES I land I atom 110. 00.	Lacii	IO Lacii	20 Lacii
(Retails \$1.00 each; \$10.00 per dozen). Blended copper, salmon and gold\$	0.70	\$ 0.55	
CRIMSON GLORY. Plant Patent No. 105.			
(Retails \$1.25 each; \$12.50 per dozen).			
Velvety crimson shaded with deep red	.85	.70	
DICKSON'S RED. Plant Patent No. 376.			
(Retails \$1.25 each; \$12.50 per dozen).			
Glowing scarlet	.85	.70	
McGREDY'S SUNSET. Plant Patent No. 317.			
(Retails \$1.25 each: \$12.50 per dozen).			

Yellow flushed scarlet on the inside ___ .85 .70 POLYANTHA 25 Each 1 Each 5 Each Cole's Pink Lafayette. A light pink form of Lafayette \$ 0.55 \$ 0.45 Crimson Baby. Bright red _____ .45 .40 Else Poulsen. Bright rose-pink .55 .45 Erna Teschendorf. Good red _____ .55 .45 .40 .55 .45 .40 Golden Salmon. Glowing orange Ideal. Good deep red .45 .40 .55 Kirsten Poulsen. Single, bright scarlet .55 .45

POLYANTHA ROSES—Continued	1 Each	5 Each	25 Each
LAFAYETTE IMPROVED. Glowing red suffused crimson	\$ 0.55		
Pink Gruss an Aachen. Rose-pink	.55		date that the local field fluid
PATENTED POLYANTHA			
ANNE POULSEN. Plant Patent No. 182.			
(Retails \$0.85 each: \$8.50 per dozen).		10 Each	
Semi-double, scarlet-crimson	\$ 0.55	\$ 0.45	
DONALD PRIOR. Plant Patent No. 377. (Retails \$1.00 each; \$10.00 per dozen). Scarlet flushed crimson	.70	.55	
PERMANENT WAVE. Plant Patent No. 107.			
(Retails \$1.00 each; \$10.00 per dozen). Deep pink, crinkly petals	.70	.55	-
SUMMER SNOW. Plant Patent No. 416.			
(Retails \$1.00 each; \$10.00 per dozen). Clusters of snow-white flowers	.70	.55	

Perennial Plants

For less than 5 plants of a variety, add 5c per plant.

ANEMONE—	5	Each	25	Each
hupehensis superba. Large pink	\$	0.20	\$	0.15
japonica rubra. Excellent rose-red. 2½′	-	.20		.15
japonica rubra flpl. Brilliant rose-red		.20		.15
japonica, "Whirlwind." Large, double white-21/2'	-	.20		.15
AOUILEGIA—Columbine				
Crimson Star Hybrids. A stronger strain of fine type—2½	,	.20		.15
ARMERIA—laucheana. Bright rosy red. May and June—6'		.17		.12
ASTER—"Blue Gown." Heavy blue flowers. September-5	,	.20		.15
frikarti. Wonder of Staffa. Large lavender-blue-2'	_	$.22\frac{1}{2}$		$.17\frac{1}{2}$
Mt. Everest. Best tall white-4'	_	.20		.15
novi-belgi, Beechwood Challenger. The best of the rec Asters. September—4'	ł	.17		.12
novi-belgi, Beechwood Charm. New. Deep rosy red. Ser	-	.1.4		.14
tember to frost—4'		.20		.15
Star of Wartburg. Blue, golden eye-12"		.20		.15
CAMPANIII A percicifolia "Pride of Exmouth" Superfu	_			
CAMPANULA—persicifolia, "Pride of Exmouth." Superfin blue—2½'		.20		.15

For less than 5 plants of a variety, add 5c per plant.

CHRYSANTHEMUM MAXIMUM SHASTA DAI Pot Plants Only		25 Each
"Chiffon." Fully double 3" flowers. Always in bloom18"\$		\$ 0.20
"Esther Reed." Double and crested 4" flowers. Purest white, blooms June through October—18"	.25	.20
"Mount Shasta." Finest double giant flowers. Perpetual bloom—2'	.27½	.22½
CHRYSANTHEMUMS— NEW AND KOREAN CHRYSANTHEMUMS		
Without question the greatest new creation in the perennial Chrysanthemums are perfectly hardy—a requisite for satisfactio old types; they are easier to grow and are more profuse in bloom pastel shades defy description. Wonderful for table decoration for color effect in the garden. Prices for 2½" pot plants. Savailable in field-grown plants.	n lackin ning. Tl and co	ig in the ne lovely mpelling
*ALGONQUIN. Bright yellow. 2½-inch flowers. Sept.—1½ \$	Each : 0.17	25 Each \$ 0.12
*AUTUMN LIGHTS. New. Semi-double, coppery bronze over- cast gleaming orange. September—1½′	.17½	$.12\frac{1}{2}$
BRONZE-GOLD. Newest Cushion. Intense gold-tinted bronze —1'	.22½	.17½
*BURGUNDY. Cerise-crimson. Fall—2'	$.17\frac{1}{2}$.12½
CYDONIA. Orange-mahogany—2'	.20	.15
*DAHLIA FLOWER. New deep rich red. Resembles Cactus Dahlia—18"	.22½	.17½
*DEAN KAY. New. Lilac-rose. Early—1½'. F. G. only	.20	.15
EUGENE A. WANDER. Extra hardy large golden yellow—	.20	.15
*GLEAM O' GOLD. Primrose-yellow. Pompon. October—2'	.20	.15
*GOBLIN. New. Warm golden bronze. October—2'	.20	.15
JUDITH ANDERSON. Fine old yellow—2'	.17	.12
*KING MIDAS. Soft yellow shaded bronze—2½'. F. G. only	.17	.12
*KRISTINA. Lovely rose-pink. Single. Vigorous. Hardy—1½′	.17	.12
*LAVENDER LADY. Large, double. Silvery lavender. Early midseason—2½′	.20	.15
LAVENDER LASSIE. 1943 Introduction. Lovely cushion Pompon—1½′	.22½	$.17\frac{1}{2}$

For less than 5 plants of a variety, add 5c per plant.

*LITTLE BOB. Bronzy-crimson Pompon. October—1½′\$	Each 0.20	25 Each \$ 0.15
LITTLE BILL. Our own 1944 Novelty. Lovely old gold and bronze shot and overcast with silver. Cushion Pompon type with 1" flowers in profusion	.35	.30
pink. A sure-fire novelty	.35	.30
*MILKY WAY. Pure white. Semi-double. October—2½'. F. G. only	.20	.15
*MRS. PIERRE S. DuPONT. Peach-pink tinted rosy salmon and fawn	.20	.15
*MRS. SAM P. ROTAN. Orange-yellow, copper tints— $1\frac{1}{2}$ '_	.20	.15
*PEACH BLOW. Salmon-pink, fawn and bronze. F. G. only —2'	.17	.12
*POMPONETTE. New glowing Tyrolean yellow—1½'	.221/2	$.17\frac{1}{2}$
*PYGMY GOLD. Fine golden yellow Cushion Pompon—15"	.20	.15
RED VELVET. New velvety crimson	$.22\frac{1}{2}$	$.17\frac{1}{2}$
*ROSE GLOW. Raspberry-pink and old rose—11/2'	.20	.15
RUBY POMPON. Glowing ruby-red	.22½	.17½
CANCEL CLAVE N. 1 C. M.		
SANTA CLAUS. New red Cushion type; 2½-inch brilliant red flowers	.20	.15
SENSATION. New. A riot of gaillardia-like flowers. Truly a "Sensation"—2'	.22½	.17½
*SILVER TIP. Bright carmine with silver reverse and petal tips. Fall—2½'	.20	.15
*SUN GOLD. Very large double, beautiful clear yellow. Undoubtedly the finest of the yellow "Mums." Late mid-		
season—3'	.25	.20
*TORCH. Semi-double, flame-yellow reverse. A standout	.20	.15
*VIKING. New large-flowered burnt-orange. Semi-double. Extra hardy—14"	.20	.15
WARRIOR. Mahogany and warm gold. A fit companion for Torch and Viking	.20	.15
*WHITE DOTY. Best pure white Pompon—18"	.15	.10
WHITE KNIGHT. Pure white 3-inch blooms-18"	.221/2	.17½
For less than 5 plants of a variety, add 5c per pla	ant.	

CUSHION "MUMS" Compact little plants bearing myriads of azalea-like flowers throughout October. Your choice of colors: Bronze, Pink,		25 Each
Yellow, or White	0.15	\$ 0.10
MEW CEDWENDED MAINE		
NEW SEPTEMBER 'MUMS— *September Bronze. Warm gold-bronze—18" *September Cloud. Ivory-white with primrose shadings	.20	.15
18"	.20	.15
*September Gold. Rich golden yellow—18"	.20	.15
NEW SPOON CHRYSANTHEMUMS. Long, tubular petals flattened at tips to resemble spoons. *Golden, *Jasper,	5 Each	25 Each
*Orchid, *Rose, *Silver—18"\$	0.20	\$ 0.15
DET DITIBILITY		
DELPHINIUM—	90	7.5
Cliveden Beauty. Belladonna improved Lamartine. Rich indigo-blue—2½′	.20	.15 .15
Lamartine. Rich murgo-brue—272	.20	.1.0
DIANTHUS—Rose Cushion. Dainty rose colored flowers on compact, evergreen foliage—4 to 6"	.20	.15
DIANTHUS GRENADIN—		
Crimson King. Double crimson—18"	.17	.12
Ciliadoi Iiiig. Double ciliadoi 10		.14
DIANTHUS—Old Spice. (Plant Patent No. 499.) New everble Rich salmon-pink. Neat plant. Enticing spicy fragrance 12 for \$3.75; \$18.00 per 100. Retails 60c each; \$1.50 for	. 3 for	
DIOLITICAL	Each	25 Each
eximia. Fringed Bleeding Heart. All summer—12" \$	0.20	\$ 0.15
DORONICUM—"Mme. Mason." Dazzling pure golden yellow. Early—1½'	.23	.18
FUNKIA—(See Hosta.)		
2 Ostalia (Doo Hootus)		
HEUCHERA—sanguinea, "Queen of Hearts." New, large, gleaming red— $1\frac{1}{2}$ '	.23	.18
HIBISCUS—Mallow Marvels—5'		
coccineus. Scarlet Rosemallow. Deep red. Finely cut foliage. August6'	.20	.15
	.20	.10
	.20	.10
HOSTA—Plantain Lily. subcordata alba, White—18"	.17	.12
HOSTA—Plantain Lily. subcordata alba. White—18"	.17	.12
HOSTA—Plantain Lily.		

For less than 5 plants of a variety, add 5c per plant.

	5 Each	25 Each
PAPAVER—Poppy		
nudicaule. Iceland Poppy schinzianum. Orange-aprico June—12"	t. _\$ 0.15	\$ 0.10
PHLOX—Columbia. Plant Patent No. 118. Soft cameo-pink. Prices, 3 for \$1.15; 12 for \$3.75 \$18.00 per 100. Retails at 60c each; 3 for \$1.50 \$5.00 per 12; \$30.00 per 100.);	
amoena. Bright pink. Good ground cover-4"	.17	.12
subulata, "Blue Hill." Pale blue. Repeats in fall-4"	17	.12
Camla. Rosy pink	20	.15
"Vivid." Bright red, pink eye-4"	20	.15
nivalis sylvestris, "Dixie Brilliant." Large rosy red flov	v- 20	.15
Mixed	13	.08
PRIMULA—veris hybrids. Large flowered strain. Dazzlin colors—10"		.12
TEUCRIUM—chamaedrys. Lustrous evergreen foliage. Ros flowers—12"	sy 23	.18
TRADESCANTIA—Spiderwort. Spring till frost—12" Blue Stone. Clear vivid blue. Always in bloom Purple Dome. Brilliant purple; flowers freely		.15 .15
TRITOMA—"Gold Mine." New. Soft amber-tinted gold—3'	23	.18
Pfitzeri. Red Hot Poker3'		.12
TRITOMA—"Springtime." Plant Patent No. 318. Early red with lower half of flower ivory-yellow. Thoroughl particular about soil. Heavy bloomer—3'. \$1.35 for \$22.00 per 100. Retails 65c each; \$1.75 for 3.	y hardy.	Not too
VINCA—(See page 49.)	5 Each	25 Each
VIOLA—odorata, Princess of Wales. Single, deep purple; grant—6". Pot plants only"Rosina." Dainty pink, fragrant flowers spring and fall-	\$ 0.17	\$ 0.12
5". Pot plants only	17	.12
"Royal Robe." Deepest violet-blue. Large flowers—6". P	ot .20	.15

Fruit Department

APPLES-Standard

		1 Each	5 Each	25 Each
4½ to 5½', 16 to %"			\$ 0.55	\$ 0.45
4 to 5', \(\frac{9}{16}\) to \(\frac{11}{16}\)" \(55	.45	
Bearing Age, 11/4 to 11/2" _		2.75	2.50	2.25
Bearing Age, 1½ to 2"		3.75	3.35	3.00
Bearing Age, 2 to 2½"		5.00	4.50	4.00
Astrachan	Hyslop Crab	Red Rome	e Beauty	
Baldwin	Jonathan, 9/16" only	Stayman	•	
Cortland	Macoun	Turley		
Delicious, Red	McIntosh	Wealthy		
Dolgo Crab	Melba	Yellow D	elicious	
Grimes Golden	Milton	Yellow Tr	ransparen	t,

CHERRIES-Sour

9/16" only

Sold out.

CHERRIES—Sweet

Sold out.

NECTARINES

Sold out.

QUINCES

Sold out.

PEACHES

Sold out.

PEARS—Standard

Sold out.

PEARS—Dwarf

Sold out.

		BLACKBERRY	5 Each	25 Each	250 Each
Eldorado, No.	1 R.	G	$0.04\frac{1}{2}$	$0.03\frac{1}{2}$	\$ 0.03

BLUEBERRIES

See Vaccinium, page 35.

GRAPES ~ 5 Each	25 Each
Caco, 1 year, No. 1\$0.18	\$0.14
Concord, 2 years, No. 1	.08
Fredonia, 1 year, No. 118	.14
Niagara, 2 years, No. 116	.12

MULBERRIES (See Morus, Page 10)

(See page 61 for costs of balling bearing-age trees)

Lining Out Stock

Our lining out stock prices are based on fine quality, well rooted plants that will insure success. Plants are carefully graded and packed.

"S" denotes seedling, "C" denotes cutting, "gr" denotes graft, "T" and "TT" denotes times transplanted.

50 at the 100 rate; 250 at the 1000 rate.

	TREE	ES			
Qty.	Name	10	Size	100	1000
1200	Phellodendron amurense	(S)	1 to $1\frac{1}{2}$ '	\$ 7.00	\$ 50.00
1200	" amurense	(S)	2 to 3'	10.00	75.00
3000	Quercus coccinea	(S)	12 to 18"	7.50	55.00
3500	۵۵ ۵۵	(S)	$1\frac{1}{2}$ to $2'$	11.00	80.00
1500	" imbricaria	(S)	12 to 18"	10.00	75.00
1500	٠٠	(S)	1½ to 2′	12.50	100.00
1500	" palustris	(S)	2 to 3'	8.00	60.00
9000	دد دد	(T)	3 to 4'	11.00	85.00
8000		(T)	4 to 5'	15.00	125.00
7000	cc cc	(T)	5 to 6'	20.00	170.00
1500	" phellos	(S)	1½ to 2′	12.50	100.00
2800	" rubra	(S)	12 to 18"	7.50	55.00
2000	66 66	(S)	2 to 3'	12.50	100.00
2000	66 66	(S)	3 to 4'	16.00	130.00
800	66 66	(S)	4 to 5'	20.00	170.00
	SHRU	RS			
4000	Acanthopanax sieboldianaus (pent				
	phyllum)	(RC)		7.00	50.00
2000	Amorpha canascens	(S)	4 to 6"	9.00	70.00
2500	Azalea mollis	(TT)	6 to 9"	18.00	150.00
1500	Benzoin aestivale	(S)	12 to 18"	8.00	60.00
1000	٠	(S)	$1\frac{1}{2}$ to $2'$	10.00	80.00
1100	Chaenomeles (cydonia) maulei	(S)	6 to 12"	5.00	30.00
400	66 66 66	(S)	12 to 18"	6.00	40.00
1500	Chionanthus virginica	(S)	4 to 6"	12.50	100.00
600	Clethra alnifolia	(RC)		9.00	70.00
400	Cornus alba elegantissima	(RC)		10.00	80.00
3000	" stolonifera	(S)	$1\frac{1}{2}$ to $2'$	4.00	22.00
4000		(S)	2 to 3'	5.00	30.00
3000	cc 66	(S)	3 to 4'	6.00	40.00
2000	" flaviramea	(S)	12 to 18"	7.00	50.00

LINING OUT STOCK—SHRUBS—Continued					
Qty.	Name		Size	100	1000
1500	Cotoneaster divaricata	(RC)		\$ 9.00	\$70.00
400	" hupehensis	(RC)		12.50	100.00
500	" foveolata	(RC)		12.50	100.00
4000	Deutzia gracilis	(RC)		6.50	45.00
800	" ilemoinei	(RC)		8.00	60.00
450	Euonymus alatus	(RC)		12.50	100.00
2800	" compacta	(RC)		11.00	85.00
350	" yedoensis	(S)	12 to 15"	10.00	75.00
4500	Forsythia intermedia spectabilis	(RC)		4.50	25.00
200	Hamamelis virginiana	(S)	4 to 6"	10.00	80.00
400	Ilex verticillata	(S)	4 to 6"	7.00	50.00
300	66 66	(S)	12 to 15"	12.50	100.00
2250	Ligustrum ibota	(S)	12 to 18"	3.50	20.00
1500	66 66	(S)	$1\frac{1}{2}$ to $2'$	4.00	25.00
10000	" regelianum	(RC)		6.00	40.00
800	Lonicera korolkowi floribunda	(RC)		15.00	125.00
200	" morrowi	(S)	6 to 9"	7.00	50.00
3000	Rhamnus cathartica	(S)	12 to 18"	3.00	15.00
6000	" frangula	(S)	$1\frac{1}{2}$ to $2'$	4.00	20.00
8000	"	(S)	2 to 3'	4.50	25.00
6000	66 66	(S)	3 to 4'	5.50	35.00
400	Rhodotypos scandens (kerrioides)	(S)	12 to 18"	7.00	50.00
1000	66 66	(S)	1½ to 2′	8.00	60.00
350	66 66 66	(S)	2 to 3'	10.00	75.00
2500	Spiraea thunbergi	(RC)		6.00	40.00
200	Symplocus paniculata	(S)	4 to 6"	20.00	150.00
275	Viburnum acerifolium	(S)	12 to 18"	10.00	80.00
200	66 66	(S)	$1\frac{1}{2}$ to $2'$	13.50	110.00
2000	" dentatum	(S)	9 to 12"	6.00	40.00
1000	" dilatatum	(RC)		9.00	70.00
500	" lentago	(S)	12 to 18"	8.00	60.00
1000	" opulus	(S)	6 to 12"	6.00	40.00
750	66 66	(S)	$1\frac{1}{2}$ to $2'$	8.00	60.00
800	" sterile	(RC)		8.00	60.00
3000	" pubescens	(S)	6 to 12"	6.00	40.00
400	66 66	(S)	12 to 18"	8.50	65.00
300	" trilobum (americanum)	(S)	6 to 12"	8.00	60.00
300	66 66	(RC)		8.00	60.00
250	" tomentosum rotundifolium	(RC)		15.00	125.00
3000	Weigela vaniceki	(RC)		9.00	70.00

EVERGREENS

Qty.	Name	S	Size 100	1000
750	Juniperus chinensis	(TT) 12 to 1	8" 3-yr. \$17.50	\$150.00
300	66 66	(TT) $1\frac{1}{2}$	to 2' 22.50	200.00
400	" columnaris gl	auca (gr.TT) 10 t	to 15" 45.00	400.00
300	" pfitzeriana	(TT') 6 t	to 10" 22.50	200.00
100		(TT) 10 t	to 15" 27.50	250.00
300	" virginiana burki	(gr.TT) 10 t	to 15" 45.00	400.00
300	" cannarti	(gr.TT) 10 t	to 15" 45.00	400.00
250	" kosteri	(TT) 10 t	to 15" 27.50	250.00
4000	Picea conica glauca	$2\frac{1}{2}$	" pots 17.50	150.00
250	" excelsa	(T) 6 t	to 10" 12.50	100.00
500	Picea excelsa	(T) 10 t	to 15" 15.00	125.00
1000	Taxus cuspidata	(TT) 6 t	to 9" 22.50	200.00
500	66 66	(TT) 9 t	to 12" 32.50	250.00
2500	" " nana	(TT) 6 t	to 9" 27.50	250.00
300	" " erecta	(TT) 9 t	to 12" 32.50	300.00
750	66 66 66	(TT) 12 t	to 18" 37.50	350.00
2375	" media hicksi	(TT) 9 t	to 12" 22.50	200.00
800	46 46	(TT) 12 t	to 15" 27.50	250.00
250	Thuja occidentalis elegantissin	na (TT) 12 t	to 15" 27.50	250.00
600	" " nigra	(TT) 12 t	to 15" 27.50	250.00
3000	" " pyramidali	s (TT) 15 t	to 18" 27.50	250.00
600	" orientalis	(T) 12 t	to 18" 22.50	200.00

BROAD-LEAVED EVERGREENS

2000	Euonyn	nus fortunei	radio	eans	(RC)		8.00	60.00
250	46	44	66	carrierei	(RC)		10.00	80.00
600	66	66	6.6	coloratus	(RC)		8.00	60.00
500	66	66	66	vegetus	(RC)		10.00	75.00
450	66	kiautscho	vicus	patens	(RC)		8.50	65.00
1500	Ilex gla	abra			(RC)		10.00	80.00
2000	Rhodoo	dendron cata	awbie	nse	(TT)	6 to 9"	15.00	125.00
2000	46		66		(TTT)	9 to 12"	25.00	225.00

BALLING SCHEDULE

In this catalog where ball sizes are shown, viz., (15" Ball), etc., this is the approximate size supplied. If larger or smaller balls are required charge will be adjusted to conform to following schedule.

Where balling is shown as "Extra" or where balls are required on shrubs, trees and plants not catalogued "Balled (B&B)" add to listed price according to the following schedule.

Ball Size	Weight	Shrub or				
	Pounds	Flowering Tree	1 Each	2 Each	5 Each	25 Each
10 x 10"	32		\$ 0.60	\$ 0.55	\$ 0.45	\$ 0.40
11 x 10"	38	F91 4 7 7 3 5 5	.70	.60	.50	.45
12 x 11"	47	2 to 3'	.85	.70	.60	.50
13 x 11"	58	3 to 4'	1.00	.85	.75	.60
14 x 12"	80		1.20	1.00	.85	.75
15 x 12"	90	4 to 5'	1.35	1.15	1.00	.85
16 x 13"	110		1.65	1.40	1.25	1.10
17 x 13"	130		2.25	1.95	1.70	1.45
18 x 14"	160	6 to 7'	3.00	2.70	2.40	2.00
20 x 15"	210	7 to 8'	4.25	3.75	3.25	2.75
22 x 16"	270	8 to 10'	5.50	4.80	4.25	3.75
SHADE TREES						
20 x 15"	210	1½ to 1½"	4.25	3.75	3.25	2.75
22 x 16"	270	1½ to 1¾"	5.50	4.80	4.25	3.75
24 x 17"	340	1¾ to 2"	7.50	6.50	5.50	4.85
26 x 18"	410	2 to 2½"	9.50	8.25	7.00	6.00
30 x 20"	620	2½ to 3"		11.50	9.00	8.00
33 x 22"	820	3 to 3½"	15.50	13.75	11.25	10.00
36 x 23"	1000	3½ to 4"	18.50	16.50	14.50	12.50
40 x 25"	1350	4 to 4½"	23.50	20.50	17.50	15.50
44 x 27"	1800	4½ to 5"		24.50	21.00	18.00
48 x 29"	2300	5 to 5½"	31.50	27.50	23.50	20.50
52 x 30"	2900	5½ to 6"	35.50	31.50	26.50	23.50
56 x 31"	3500	6 to 6½"	40.00	35.00	31.00	27.00
60 x 32"	4200	6½ to 7"		42.50	37.00	32.00
64 x 33"	5000	7 to 7½"	55.00	49.00	44.00	38.50
68 x 34"	5800	7½ to 8"	68.00	60.00	55.00	48.00

Ball sizes, weights, etc., are only approximate as varieties and soil causes them to vary.

Prices include loading on trucks.

Car loading on "Tree" sizes entails extra costs.

Platforms, if required, will be charged extra. Charge rebated if returned prepaid.

Be sure to add these costs when paying cash before shipment.

PRICES FOR BOXING AND PACKING

Ov 6 F	Foot Per Foot 6 Feet and Less	If Paper Lined, add 10%. Small Boxes, 50c to \$1.50, according to size.
30 x 30\$ 0.5 28 x 28 5 24 x 24 4	$52\frac{1}{2}$.55 $47\frac{1}{2}$.50	BALES Minimum charge\$0.50
20 x 204 16 x 163 14 x 143 12 x 123	35 $.37\frac{1}{2}$ $32\frac{1}{2}$ $.35$	Up to 100 lbs., per lb01½ Excess over 100 lbs., per lb01¼

Bales for bulky trees (grafted heads, etc.), balled trees and other exceptions will be charged at cost.

RESPONSIBILITY

We endeavor to send our patrons the grade and quality of stock ordered. We do not guarantee our products or assume any responsibility after they leave our nursery, as conditions always exist over which we have no control. It is understood, in case of error on our part, that we shall not be responsible for a greater amount than the price paid.

TERMS

*5% OFF FOR CASH before shipment on purchases at prices listed herein. Be certain to add enough extra to cover packing. This will eliminate C. O. D. costs. Over-payments will be returned promptly.

To parties having satisfactory credit arrangements or account with us 2% 10 days, 30 days net.

No claims for rejections or deficiencies will be entertained unless made within 10 days after arrival of goods.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE SUPPLIES

Burlap, used, per 100 lbs.	\$9.50
Granulated Peat, per bale (20 to 22 bushels)	3.90
Labels, Paper, per 1000	1.45
Paper, Krinkled Waterproof Kraft, per lb. 20c; per 100 lbs	16.00
Twine, 16-Ply Cotton in 2-lb, cones, per lb,	.70

TRUCK DELIVERIES

During planting season, we are making daily deliveries to Cleveland and vicinity, and frequent deliveries to other cities within two hundred miles of Painesville. Charges reasonable.

PLANT PATENT NOTICE

Propagation Rights Reserved

The Truehedge Columnberry is protected by Plant Patent No. 110 under the U. S. Patent Laws. Asexual reproduction or disposition by sale, gift or otherwise, of scions, buds, or cuttings for such reproduction is prohibited unless license is previously obtained from the patent owners. Unauthorized reproduction, sale, or distribution of propagation material of this plant will subject the one engaging in the same to prosecution for infringement. For resale at Retail Only except under license from the patent owners.

The above conditions also apply to all other patented plants which we sell.

THE COLE NURSERY COMPANY

PAINESVILLE, OHIO

NOTES

Cole's LATEST INTRODUCTION Hardy Fuchsia "Senorita"

Not Patented

SENORITA is even more lovely than Fuchsia Scarlet Beauty, introduced in 1940, and so widely acclaimed by gardeners everywhere. Senorita is the first glorious offspring of the famed Scarlet Beauty original member of this special strain of Fuchsia riccartoni.

SENORITA, hardy and of vigorous growth, comes into flower in early August and continues its abundance of strikingly beautiful bloom until severe frost—a period when color is so limited in the garden. Reaching maturity in about three years, the plant, strongly upright, attains a height of three feet with a spread of two and a half feet.

The jewelled, pendent flowers, fully two to three inches long, of flaming rosered with corolla of bright mulberry-purple, are borne profusely along the stems and nestled in the outer fringe of foliage. The plant, never leggy, foliages from the ground up and is a pleasing bright glossy green, providing a color combination of rare charm and beauty.

	5	Each	25 Each	250 Each
3-inch pot plants	\$0	0.32	\$0.27	\$0.24
5-inch pot plants				

Fuchsia riccartoni, "Scarlet Beauty"

Plant Patent No. 440

Has proven one of the most popular plants for the hardy border

3-inch pot plants	-	25 Each \$0.23	
Field-grown plants or 5-inch pots (Cloverset)	50	.45	.40
3-inch pots	\$0.60 eac	ch; 3 for \$ch; 3 for	1.50 2.50

Spring Delivery Only



A branch from a mature plant showing the profusion of bloom of

COLE'S New Hardy Fuchsia riccartoni "SCARLET BEAUTY"

Plant Patent No. 440

See Inside Cover for Prices, etc.